



**A new formulation and Benders' decomposition for
multi-period facility location problem with server
uncertainty**

Amit Kumar Vatsa
Sachin Jayaswal

W.P. No. 2015-02-07
February 2015

The main objective of the Working Paper series of IIMA is to help faculty members, research staff, and doctoral students to speedily share their research findings with professional colleagues and to test out their research findings at the pre-publication stage.

INDIAN INSTITUTE OF MANAGEMENT
AHMEDABAD – 380015
INDIA

A NEW FORMULATION AND BENDERS' DECOMPOSITION FOR MULTI-PERIOD FACILITY LOCATION PROBLEM WITH SERVER UNCERTAINTY

Amit Kumar Vatsa
Sachin Jayaswal

Abstract

Facility location problems reported in the literature generally assume the problem parameter values (like cost, budget, etc.) to be known with complete certainty, even if they change over time (as in multi-period versions). However, in reality, there may be some uncertainty about the exact values of these parameters. Specifically, in the context of locating primary health centers (PHCs) in developing countries, there is generally a high level of uncertainty in the availability of servers (doctors) joining the facilities in different time periods. For transparency and efficient assignment of the doctors to PHCs, it is desirable to decide the facility opening sequence (assigning doctors to unmanned PHCs) at the start of the planning horizon. For, this we present a new formulation for a multi-period maximal coverage location problem with server uncertainty (MMCLPSU). We further demonstrate the superiority of our proposed formulation over the only other formulation reported in the literature. For instances of practical size, we provide Benders' decomposition based solution method, along with several refinements. For instances that CPLEX MIP solver could solve within a time limit of 20 hours, our proposed solution method turns out to be of the order of 150 - 250 times faster for the problems with complete coverage, and around 1000 times faster for gradual coverage.

Keywords: Facility Location, Primary Health Centers, Benders' Decomposition

1 Introduction and literature review

A discrete facility location problem (FLP) is the problem of finding the optimal (defined with respect to certain objectives) subset among a given set of candidate facility locations. FLPs have been widely used/studied in the context of schools (Antunes & Peeters, 2001), hospitals (Baray & Cliquet, 2013), banks (Wang et al., 2002), distribution centers (Klose & Drexl, 2005), fire stations (Schilling et al., 1980). These problems mostly assume user demand and facility/transportation cost as given and constant. However, when problem parameters like user demand or facility/transportation cost change over time, an optimal facility location decision in one period may become sub-optimal in future periods. In such a situation, the optimal facility location decision needs to be revised with time according to changes in the demand/cost. However, revisiting facility location decisions in future periods may involve relocating/closing facilities opened in earlier periods, which are generally costly, and may even be prohibitive in many cases. So, when problem parameters are expected to change with time, a better idea is to plan ahead for more than one period. This gives rise to multi-period FLP (MFLP), with parameter values changing over periods.

Several variants of MFLP have been studied in the literature since its introduction by Ballou (1968). Wesolowsky & Truscott (1975); Melo et al. (2006) present the problem with constraints on location and relocation of facilities. Dias et al. (2006, 2007, 2008) consider MFLPs where facilities can be closed and reopened. Wesolowsky & Truscott (1975); Saldanha da Gama & Captivo (1998); Canel et al. (2001) study the problems where closing of facility involves capital expenditure. Erlenkotter (1981); Shulman (1991); Canel et al. (2001); Melo et al. (2006); Dias et al. (2007); Thanh et al. (2008), among others, have studied MFLP where facility capacities change over time. MFLPs with budget restriction have been studied by Antunes & Peeters (2000, 2001); Wang et al. (2003); Melo et al. (2006); Ghaderi & Jabalameli (2013). Antunes & Peeters (2000, 2001) have studied MFLPs with both budget and capacity constraints. Readers are referred to a detailed survey by Boloori Arabani & Farahani (2012) on the literature in MFLPs.

Classical versions of FLP assume the problem parameter values (like demand, cost, budget, etc.) to be known with complete certainty, even if they change over time (as in MFLP). However, in reality, there may be some uncertainty about the exact values of these parameters. Averbakh & Berman (1997); Chen & Lin (1998); Vairaktarakis & Kouvelis (1999); Averbakh & Berman (2000); Killmer et al. (2001); Burkard & Dollani (2002); Albareda-Sambola et al. (2011); Berman & Wang (2011) have accounted for the uncertainty in demand in MFLP. Uncertainty in cost has been considered by Chen & Lin (1998); Vairaktarakis & Kouvelis (1999); Burkard & Dollani (2002). Uncertainty may also arise with respect to the availability of servers/resources. This is generally true in case of locating Primary Health Centers (PHCs), which are single doctor clinics meant to provide very basic health care in rural areas in developing countries. Due to acute shortage of doctors in rural areas, many of these PHCs temporarily function without any doctor. Moreover, there is a high degree of uncertainty regarding the number of doctors that will be available to join these PHCs in any given period. Such uncertainty in the availability of servers/resources has not received much attention in the extant MFLP literature. Current et al. (1998) consider a situation where the final number of facilities to be sited is uncertain. They use a minimax regret approach to find the initial set of facilities for a p -median FLP. However, their work does not consider multiple time periods. Vatsa & Ghosh (2014), to the best of our knowledge, is the only paper to consider such an uncertainty in the context of MFLP.

In the current paper, we study a MFLP with uncertainty in the number of servers (doctors) available in each period of the planning horizon. Through this paper, we make the following contributions to the scarce literature on MFLP with uncertainty in server availability:

1. We present a formulation of the problem, which we show to be stronger than the only other formulation available in the literature.
2. We present a Benders' decomposition based exact solution method, and refinements thereof, to solve realistic problem instances.

The remainder of the paper is organized as follows. Section 2 describes the problem in detail, followed by mathematical models and their comparison with the existing models in the literature. Section 3 presents a Benders' decomposition based solution approach, followed by computational experiments in section 4. The paper concludes with a summary and directions for future research in section 5.

2 Problem Description

The problem described in this section is motivated by the one faced by the district administrations in providing primary health care facilities to the rural population in developing countries. World Health Organization (WHO), through its Alma-Ata declaration (1978), expressed the need for a Primary Health Center (PHC) for every 30,000 population in the plain areas and for every 20,000 in tribal and hilly areas. However, achieving this target (set by the Alma-Ata declaration) has been a challenge in most of the developing countries, largely due to shortage of doctors and increasing population (Walley et al., 2008; Rohde et al., 2008). Consequently, there is generally a shortage of PHCs. In many cases, even if PHCs exist, many of them remain unmanned due to shortage of doctors. When doctors do become available over a period of time, the challenge facing the district administration is to find the best sequence of unmanned PHCs to assign the doctors to, so as to cover the maximum population over the entire planning horizon. For transparency in policy making and implementation, it is essential that this sequence of opening the PHCs (assigning doctors to unmanned PHCs) be pre-decided at the start of the planning horizon.

To describe the problem setting, we assume a planning horizon consisting of discrete time periods $t \in T = \{1, 2, \dots, |T|\}$. Further, we consider a district, which is divided into population zones (e.g., villages), each of which is represented as a node $i \in I = \{1, 2, \dots, m\}$. Let $j \in J = \{1, 2, \dots, n\}$ denote any PHC without an assigned doctor. J^b is the set of PHCs that are manned with doctors at the beginning of planning horizon, i.e., at $t = 0$. In the rest of the paper, we use the term “candidate facility” to refer to a PHC without an assigned doctor at $t = 0$. Let δ_{ij} be the distance between population zone i and candidate facility j . Opening a PHC at j covers the entire population at node i if it is within a given distance δ_0 from the node, i.e., $\delta_{ij} \leq \delta_0$. We use a parameter $a_{ij} = 1$ if facility j is within the covering distance δ_0 from demand node i , 0 otherwise. We use N_i to denote the set of candidate facilities that can cover a demand node i , i.e., $N_i = \{j \in J : a_{ij} = 1\}$. Let d_{it} represent the population (demand) at node i in time period t . If the exact number of doctors (henceforth called servers) that will become available to join PHCs in each period of the planning horizon were known with complete certainty, then the district administration would ideally like to assign them to the PHCs so as to maximize the total population covered over the planning horizon. This is a classical Multi-period Maximal Covering Location Problem (MMCLP), as introduced by Gunawardane (1982).

Generally, the exact number of doctors that will become available to join PHCs in each period of the planning horizon is uncertain. We describe the uncertainty in the server availability using a parameter p_{ts} to represent the number of new servers that become available at time t under scenario $s \in S$. Let ζ_s^* be the maximum population that could have been covered in scenario s (by solving the corresponding MMCLP). Then, regret from a proposed solution in any scenario is defined as the difference between the maximum population that could have been covered (ζ_s^*) and the population actually covered using the proposed solution. In presence of server uncertainty, a plausible objective of the district administration is to find the sequence of opening candidate facilities (assigning doctors to unmanned PHCs) that minimizes the maximum regret across all possible server availability (doctor joining) scenarios. We refer to the resulting problem as Multi-period Maximal Covering Location Problem under Server Uncertainty (MMCLPSU). We summarize below the list of notations used to define the problem:

T : Set of time periods in the planning horizon, $t \in T$

S : Set of all possible server availability scenarios, $s \in S$

p_{ts} : Number of new servers that become available at time t under scenario s

I : Set of demand nodes, $i \in \{1, 2, \dots, m\}$

d_{it} : Demand of demand node i in time period t

J : Set of candidate facility locations, $j \in \{1, 2, \dots, n\}$

J^b : Set of initially open facilities

δ_{ij} : Distance between demand node i and candidate facility j

δ_0 : Covering distance such that candidate facility j is said to cover node i if $\delta_{ij} \leq \delta_0$

a_{ij} : 1 if facility j is within the covering distance δ_0 from demand node i , 0 otherwise

N_i : Set of candidate facilities that can cover a demand node i , i.e., $N_i = \{j \in J : a_{ij} = 1\}$

ζ_s^* : Maximum demand that can be covered in scenario s over the complete planning horizon

To mathematically model the problem, we define the following decision variables:

y_{jts} : 1 if candidate facility j is open in time period t under scenario s , 0 otherwise

x_{its} : 1 if demand node i is covered in period t under scenario s , 0 otherwise

r_{jl} : 1 if facility j is l^{th} ($l \in \{1, 2, \dots, n\}$) in the sequence of opening facilities, 0 otherwise

Using these variables, the objective function of MMCLPSU can be defined as $\min_{s \in S} \max \{\zeta_s^* - \sum_{i \in I} \sum_{t \in T} d_{it} x_{its}\}$.

With the above notations, MMCLPSU, as presented by Vatsa & Ghosh (2014), can be mathematically stated as follows:

[MMCLPSU-V&G:]

$$\text{Min } \theta \quad (1)$$

$$\text{s.t. } \theta \geq \zeta_s^* - \sum_{i \in I} \sum_{t \in T} d_{it} x_{its} \quad \forall s \in S \quad (2)$$

$$x_{its} \leq \sum_{j \in N_i} y_{jts} + \sum_{j \in J^b} a_{ij} \quad \forall i \in I, t \in T, s \in S \quad (3)$$

$$\sum_{j \in J} y_{jts} = \sum_{t' \leq t} p_{t's} \quad \forall t \in T, s \in S \quad (4)$$

$$\sum_{l \in \{1, 2, \dots, n\}} r_{jl} = 1 \quad \forall j \in J \quad (5)$$

$$\sum_{j \in J} r_{jl} = 1 \quad \forall l \in \{1, 2, \dots, n\} \quad (6)$$

$$\sum_{l \in \{1, 2, \dots, n\}} l r_{jl} \leq \sum_{t' \leq t} p_{t's} + n(1 - y_{jts}) \quad \forall j \in J, t \in T, s \in S \quad (7)$$

$$0 \leq x_{its} \leq 1 \quad \forall i \in I, t \in T, s \in S \quad (8)$$

$$\theta \geq 0 \quad (9)$$

$$y_{jts} \in \{0, 1\} \quad \forall j \in J, t \in T, s \in S \quad (10)$$

$$r_{jl} \in \{0, 1\} \quad \forall j \in J, l \in \{1, 2, \dots, n\} \quad (11)$$

(1) and (2) together help linearize the above described objective function $(\min_{s \in S} \max_{s \in S} \{\zeta_s^* - \sum_{i \in I} \sum_{t \in T} d_{it} x_{its}\})$. ζ_s^* is the maximum coverage possible in a given scenario $s \in S$. Its value is obtained by solving (12) - (17), as given below, which is an MMCLP. Constraint set (3) ensures that any demand node is covered in any period and scenario only if at least one open facility exists within its covering distance. Number of open facilities in any period and scenario is specified by (4). Constraint sets (5) and (6) ensure that each facility is given a unique rank in the sequence. Constraint set (7) relates the variables r_{jl} and y_{jts} using the condition that a facility at j will be open in period t and scenario s ($y_{jts} = 1$) only if the rank of the facility j is less than or equal to the total number of new servers that become available till period t in scenario s . Even though, x_{its} are binary, Vatsa & Ghosh (2014) show that relaxing them as continuous variables leaves the solution to MMCLPSU unchanged. Hence, constraint set (8) relaxes x_{its} as continuous variables. Constraints (9)-(11) are the non-negativity and binary constraints.

[MMCLP:]

$$\text{Max } \zeta_s = \sum_{i \in I} \sum_{t \in T} d_{it} x_{its} \quad (12)$$

$$\text{s.t. } x_{its} \leq \sum_{j \in N_i} y_{jts} + \sum_{j \in J^b} a_{ij} \quad \forall i \in I, t \in T \quad (13)$$

$$y_{jts} \geq y_{j(t-1)s} \quad \forall j \in J, t \in T \setminus \{1\} \quad (14)$$

$$\sum_{j \in J} y_{jts} = \sum_{t' \leq t} p_{t's} \quad \forall t \in T \quad (15)$$

$$0 \leq x_{its} \leq 1 \quad \forall i \in I, t \in T \quad (16)$$

$$y_{jts} \in \{0, 1\} \quad \forall j \in J, t \in T \quad (17)$$

Constraint set (14) in MMCLP ensures that a facility once opened remains open throughout the planning horizon. Such a constraint is also required for MMCLPSU, but is already implied by the use of sequence variable r_{jl} .

For a problem with m demand nodes, n candidate facilities, and $|T|$ time periods, the total number of scenarios $|S| = \binom{n+|T|}{n} = \frac{(n+|T|)!}{n!(|T|)!}$. For MMCLPSU-V&G, this results in $n|T||S| + n^2$ binary (for y_{jts} , r_{jl}) and $m|T||S|$ continuous (for x_{its}) variables, and $|S| + (m+n+1)|T||S| + 2n$ constraints. For example, $m = 100$, $n = 15$, $|T| = 4$ results in $|S| = 3,876$ scenarios and 232,785 binary and 1,550,400 continuous variables, and 1,771,362 constraints (excluding binary and lower/upper bound constraints). Although using scenario dominance conditions, Vatsa & Ghosh (2014) are able to reduce the problem size considerably, the problem is still difficult to solve, taking around 40 hours in some instances. We, therefore, present an alternate formulation for MMCLPSU, which results in fewer variables and constraints. We further show that our formulation is better than MMCLPSU-V&G.

To introduce our formulation, we define a new set of decision variables $z_{jk} = 1$ if candidate facility j is one among the $k \in \{0, 1, \dots, n\}$ candidate facilities that have been opened during the planning horizon, 0 otherwise. Clearly, the number of candidate facilities opened depends on the time period t of the planning horizon and the server availability scenario s , given by the relation $k = \sum_{t' \leq t} p_{t's}$. The variable z_{jk} is related to the variable y_{jts} and r_{jl} in MMCLPSU-V&G as follows:

$$z_{jk} = y_{jts} \quad \forall j \in J, t \in T, s \in S : k = \sum_{t' \leq t} p_{t's} \quad (18)$$

$$z_{jk} - z_{j(k-1)} = r_{jk} \quad \forall j \in J, k \in \{1, 2, \dots, n\} \tag{19}$$

The variables z_{jk} , by definition, should satisfy the following relations:

$$z_{jk} \geq z_{j(k-1)} \quad \forall j \in J, k \in \{1, 2, \dots, n\} \tag{20}$$

$$\sum_{j \in J} z_{jk} = k \quad \forall k \in \{0, 1, 2, \dots, n\} \tag{21}$$

For an example, consider a solution with z_{jk} values as given in table 1. The sequence of opening the 5 facilities in this example is B-D-E-A-C. With a server availability scenario s , if 2 new servers become available by the end of time t , i.e., $\sum_{t' \leq t} p_{t's} = 2$, then the two candidate facilities to be opened will be B and D, i.e., $z_{B2} = z_{D2} = 1$, while $z_{A2} = z_{C2}, z_{E2} = 0$.

Table 1: An example with variable z_{jk}

		Total Open (k)					
		k=0	k=1	k=2	k=3	k=4	k=5
Facilities	A	0	0	0	0	1	1
	B	0	1	1	1	1	1
	C	0	0	0	0	0	1
	D	0	0	1	1	1	1
	E	0	0	0	1	1	1

With the above variable definition, MMCLPSU can be mathematically restated as follows: [MMCLPSU:]

$$(1), (2), (8), (9), (20), (21)$$

$$x_{its} \leq \sum_{j \in N_i} z_{jk} + \sum_{j \in J^b} a_{ij} \quad \forall i \in I, t \in T, s \in S : k = \sum_{t' \leq t} p_{t's} \tag{22}$$

$$z_{jk} \in \{0, 1\} \quad \forall j \in J, k \in \{0, 1, 2, \dots, n\} \tag{23}$$

Constraint set (22) ensures that any demand node is covered in any period and scenario only if atleast one open facility exists within its covering distance. This combines (3) and (18). Like MMCLPSU-V&G, we are relaxing x_{its} as continuous variables (in (8)) since doing so leaves the solution to the model unchanged. Table 2 provides a comparison of the resulting model size for MMCLPSU versus MMCLPSU-V&G. $m = 100, n = 15, |T| = 4$ results in $|S| = 3, 876$ scenarios and only 240 binary variables and 1, 554, 517 constraints (excluding binary and lower/upper bound constraints), as opposed to 232, 785 binary variables and 1, 771, 362 constraints in case of MMCLPSU-V&G. The number of continuous variables remains the same. Moreover, constraint set (21) fixes z_{j0} to 0 and z_{jn} to 1 $\forall j \in J$, further reducing the computational effort in MMCLPSU. We now show mathematically that MMCLPSU better than MMCLPSU-V&G.

Table 2: Comparison between MMCLPSU-V&G and MMCLPSU formulations

	MMCLPSU-V&G	MMCLPSU
No. of binary variables	$n^2 + n T S $	$n^2 + n$
No. of continuous variables	$m T S $	$m T S $
No. of constraints	$ S + (m + n + 1) T S + 2n$	$ S + m T S + n^2 + n + 1$

Proposition 1. $P_{LP}(MMCLPSU) \subset P_{LP}(MMCLPSU-V\&G)$, where $P_{LP}(\cdot)$ is the polyhedron of the LP relaxation of (\cdot)

Proof. Given a solution $[\hat{z}, \hat{x}, \hat{\theta}]$ obtained by LP relaxation of MMCLPSU, we can construct a variable $r_{jk} = \hat{z}_{jk} - \hat{z}_{j(k-1)} \quad \forall j \in J, k \in \{1, 2, \dots, n\}$. Now,

$$\begin{aligned} \sum_j r_{jk} &= \sum_j \hat{z}_{jk} - \sum_j \hat{z}_{j(k-1)} = k - (k-1) = 1 \quad [\because \sum_{j \in J} \hat{z}_{jk} = k \text{ using (21)}] \\ \sum_{k \geq 1} r_{jk} &= \sum_{k \geq 1} \hat{z}_{jk} - \sum_{k \geq 1} \hat{z}_{j(k-1)} = \hat{z}_{jn} - \hat{z}_{j0} = 1 \quad [\because \hat{z}_{jn} = 1 \text{ and } \hat{z}_{j0} = 0 \text{ using (21) and LP} \\ &\hspace{15em} \text{relaxation of (23)}] \end{aligned}$$

Hence, r_{jk} satisfy constraint sets (5) and (6) of MMCLPSU-V&G. Now, we substitute y_{jts} with \hat{z}_{jk} , where $k = \sum_{t' \leq t} p_{t's}$, and check if $[\hat{z}, \hat{x}, \hat{\theta}]$ satisfies other constraints of MMCLPSU-V&G. Constraint (7),

i.e., $\sum_{l \in \{1, 2, \dots, n\}} lr_{jl} \leq \sum_{t' \leq t} p_{t's} + n(1 - y_{jts}) \quad \forall j \in J, t \in T, s \in S$, will be satisfied by $[\hat{z}, \hat{x}, \hat{\theta}]$ if:

$$\sum_{k \geq 1} kr_{jk} - n(1 - y_{jts}) \leq \sum_{t' \leq t} p_{t's} \quad \forall j \in J, t \in T, s \in S \quad (24)$$

$$\text{or, } \sum_{k \geq 1} k(\hat{z}_{jk} - \hat{z}_{j(k-1)}) - n(1 - \hat{z}_{jk}) \leq k \quad \forall j \in J, k \in \{0, 1, 2, \dots, n\} : k = \sum_{t' \leq t} p_{t's} \quad (25)$$

$$\text{or, } [\hat{z}_{j1} - \hat{z}_{j0}] + [2\hat{z}_{j2} - 2\hat{z}_{j1}] + \dots + [n\hat{z}_{jn} - n\hat{z}_{j(n-1)}] + n\hat{z}_{jk} \leq k + n \quad \forall j, k \quad (26)$$

$$\text{or, } n\hat{z}_{jn} + n\hat{z}_{jk} - \hat{z}_{j0} - \hat{z}_{j1} - \hat{z}_{j2} - \dots - \hat{z}_{j(n-1)} \leq k + n \quad \forall j, k \quad (27)$$

$$\text{or, } n\hat{z}_{jk} - \hat{z}_{j1} - \hat{z}_{j2} - \dots - \hat{z}_{j(n-1)} \leq k \quad \forall j, k \quad [\because \hat{z}_{jn} = 1, \hat{z}_{j0} = 0] \quad (28)$$

$$\text{or, } n\hat{z}_{jk} - \hat{z}_{j1} - \hat{z}_{j2} - \dots - \hat{z}_{j(n-1)} - \hat{z}_{jn} \leq k - 1 \quad \forall j, k \quad [\because \hat{z}_{jn} = 1] \quad (29)$$

$$\begin{aligned} \text{or, } (\hat{z}_{jk} - \hat{z}_{j1}) + (\hat{z}_{jk} - \hat{z}_{j2}) + \dots + (\hat{z}_{jk} - \hat{z}_{j(k-1)}) &\leq k - 1 + (\hat{z}_{j(k+1)} - \hat{z}_{jk}) + \dots \\ &\dots + (\hat{z}_{jn} - \hat{z}_{jk}) \quad \forall j, k \end{aligned} \quad (30)$$

Since $\hat{z}_{jk} \geq \hat{z}_{j(k-1)} \quad \forall j, k \geq 1$ (using (20)), each of the terms within parenthesis in the last inequality lies between 0 and 1. Since there are $k-1$ terms on the left hand side (LHS) of the inequality (30), LHS cannot be greater than $k-1$. The right hand side is $k-1$ + some non-negative terms. Hence, the inequality (30) holds true. Consequently, the inequality $\sum_l lr_{jl} \leq \sum_{t' \leq t} p_{t's} + n(1 - y_{jts}) \quad \forall j \in J, t \in T, s \in S$, is satisfied by $[\hat{z}, \hat{x}, \hat{\theta}]$. Further, constraint set (3) of MMCLPSU-V&G is the same as (22) of MMCLPSU (replacing y_{jts} with z_{jk} , where $k = \sum_{t' \leq t} p_{t's}$). Therefore, $[\hat{z}, \hat{x}, \hat{\theta}]$ is a feasible solution to LP relaxation of MMCLPSU-V&G.

It follows from (18) that different combinations of scenario s and time t in MMCLPSU that result in the same number $k = \sum_{t' \leq t} p_{t's}$ of open facilities, will always have the same value for the variable $y_{jts} \quad \forall j \in J$. However, this is not true for MMCLPSU-V&G. This implies that a solution that is feasible to the LP relaxation of MMCLPSU-V&G may not be feasible to the LP relaxation of MMCLPSU. We now prove that this is indeed true.

Summing over $j \in J$ the constraint set (7) in MMCLPSU-V&G, we get:

$$\sum_j y_{jts} \leq \sum_{t' \leq t} p_{t's} + (n-1)/2 \quad \forall t \in T, s \in S \quad (31)$$

Comparing (31) with constraint set (4) suggests that there must be at least one j for which constraint (7) will be non-binding. Now, consider a period t_1 in scenario s_1 , and a period t_2 in scenario s_2 such that $\sum_{t' \leq t_1} p_{t's_1} = \sum_{t' \leq t_2} p_{t's_2} = k$. Let facility A be a facility under scenario s_1 and period t_1 for which constraint (7) is non-binding. Assume a feasible LP relaxation solution of MMCLPSU-V&G that is also feasible to the LP relaxation of MMCLPSU. This implies $y_{At_1s_1} = y_{At_2s_2} = \hat{z}_{Ak}$ for that solution. Let us generate another solution by increasing $y_{At_1s_1}$ by ϵ (since (7) is non-binding for $y_{At_1s_1}$), where ϵ is an infinitesimal positive number. This will violate constraint (4) of MMCLPSU-V&G. Nonetheless, if we simultaneously decrease $y_{Bt_1s_1}$ by the same amount ϵ , where B is any candidate facility other than A , then the solution remains feasible to MMCLPSU-V&G. However, this solution will not be feasible to MMCLPSU since $y_{At_1s_1} + \epsilon \neq y_{At_2s_2} = \hat{z}_{Ak}$.

Thus, any solution to the LP relaxation of MMCLPSU is also a solution to the LP relaxation of MMCLPSU-V&G. However, the converse is not true. \square

Proposition 2. $Z_{LP}(MMCLPSU) = Z_{LP}(MMCLPSU - V\&G)$, where $Z_{LP}(\cdot)$ is the LP relaxation based lower bound of (\cdot) .

Proof. In Proposition 1, it is shown that the LP feasible region of MMCLPSU is a proper subset of the LP feasible region of MMCLPSU-V&G. If we show that an optimal solution to the LP relaxation of MMCLPSU-V&G falls in the LP feasible region of MMCLPSU, we will prove this proposition.

Consider an optimal solution $[\hat{r}^*, \hat{y}^*, \hat{x}^*, \hat{\theta}^*]$ to the LP relaxation of MMCLPSU-V&G. Then, we have:

$$\hat{y}_{jts}^* \leq \min \left[1, (k + n - \sum_l l \hat{r}_{jl}^*)/n \right] \quad (\text{from (7) and (10)}) \quad (32)$$

$$\sum_j \hat{y}_{jts}^* = k \quad (\text{from (4)}) \quad (33)$$

where $k = \sum_{t' \leq t} p_{t's}$. At optimality the objective of regret minimization ensures that variables y_{jts} take the maximum permissible values. Hence, every combination of scenario s and time t such that $k = \sum_{t' \leq t} p_{t's}$, will have the same value of \hat{y}_{jts}^* (say = \hat{z}_{jk}) $\forall j \in J$. Clearly, $\hat{z}_{jk} \geq \hat{z}_{j(k-1)}$ (from (32) and (33)). Furthermore, $\sum_j \hat{z}_{jk} = \sum_j \hat{y}_{jts}^* = k$ (from (33)). All other constraints in MMCLPSU-V&G and MMCLPSU are similar. Consequently, $[\hat{r}^*, \hat{y}^*, \hat{x}^*, \hat{\theta}^*]$ is a feasible LP solution of MMCLPSU and therefore an optimal LP solution of the MMCLPSU. \square

It follows from Proposition 1 that MMCLPSU is a better formulation compared to MMCLPSU-V&G even though both have the same LP relaxation based lower bound. This is highlighted using an example in figure 1, which shows the LP feasible regions BC and $OABC$ corresponding to two alternate formulations, let's say $f1$ and $f2$, respectively. Clearly, $P_{LP}(f1) \subset P_{LP}(f2)$, and both $f1$ and $f2$ have the same LP bound at B . However, after the branching at the root node in a branch-and-bound tree, the feasible region

for f_1 reduces to CG , while that for f_2 reduces to $OFGC$ and DAE . Clearly, f_1 will never take more computational effort in getting to the IP optimal solution G .




Figure 1: An example of LP feasible region

Table 3 presents a comparison of the computation time taken by the two formulations for different instances. Clearly, MMCLPSU solves the problem significantly faster. For example, for instance 2 with $n = 15, m = 100$, and $|T| = 4$, the computation time required by MMCLPSU-V/&G is more than 11 times that required by MMCLPSU. For instance 3, MMCLPSU-V/&G fails to solve the problem even after 20 hours of CPU time, while MMCLPSU solves it in close to an hour. For larger problem sizes, MMCLPSU-V/&G fails to find the optimal solution for any of the 5 instances within the 10 hour time limit. MMCLPSU, on the other hand, is able to solve all the 5 instances within the time limit. However, the CPU time required to solve instances with $n = 15, m = 200, |T| = 4$ is significantly large even for MMCLPSU, the maximum being close to 8 hours. For larger instances, MMCLPSU will clearly find it difficult to solve the problem to optimality within a reasonable time limit. In section 3, we, therefore, present a Benders' decomposition based solution approach to speed up the solution process.

Table 3: Comparison between MMCLPSU-V/&G and MMCLPSU

Problem Size	Instance	CPU(s) (MMCLPSU-V/&G)	CPU(s) (MMCLPSU)
$n = 15, m = 100, T = 4$	1	2054.8	251.4
	2	70710.4	6029.7
	3	*	3693.3
	4	*	7891.4
	5	1810.0	229.3
$n = 15, m = 200, T = 4$	1	*	28644.5
	2	*	9062.8
	3	*	4670.8
	4	*	27265.0
	5	*	7397.1

* Could not be solved in 20 hours

2.1 Gradual coverage

In MMCLPSU, we assumed a particular facility j can either cover or not cover a demand node i depending on whether the node i lies within or outside the covering distance from j . Accordingly, we defined a parameter $a_{ij} = 1$ if facility j can cover demand node i , 0 otherwise. However, in most of the situations, the coverage does not change so abruptly. There is instead a range of distance, between a minimum and a maximum covering distance (δ_{min} and δ_{max}), within which the coverage reduces gradually with distance. Such a gradual coverage is considered by Church & Roberts (1983); Berman et al. (2003); Karasakal & Karasakal (2004); Berman et al. (2010). However, none of them consider multi-period planning horizon or server uncertainty. We now generalize MMCLPSU by allowing for gradual/partial coverage of a demand node if it lies between δ_{min} and δ_{max} from an open facility.

For the complete coverage version of MMCLPSU, it was sufficient to know whether a demand node i was covered or not in a given time and scenario. Accordingly, we defined a variable x_{its} . However, such a variable definition is not sufficient to model the gradual coverage since to determine the level of coverage of a node i , it is also important to know which specific facility covers it. Accordingly, we now define a variable $x_{ijts} = 1$ if the demand node i is covered (fully or partially) by facility at j in period t and scenario s , 0 otherwise. In this problem, the coverage function can take fractional values if the demand node i is within δ_{min} and δ_{max} from facility at j , i.e., $a_{ij} \in [0, 1]$. Similarly, we redefine N_i as the set of candidate facilities that are within the maximum covering distance δ_{max} from demand node i . We also define N_i^b as the set of facilities open at the beginning of the planning horizon that lie within δ_{max} of node i . The resulting problem, which we refer to as Multi-period Maximal Coverage Location Problem under Server Uncertainty with Partial coverage (MMCLPSU-P), can be formulated as follows:

[MMCLPSU-P:]

$$\text{Min } \theta \quad (34)$$

$$s.t. \theta \geq \zeta_s^* - \sum_{i \in I} \sum_{j \in N_i \cup N_i^b} \sum_{t \in T} a_{ij} d_{it} x_{ijts} \quad \forall s \in S \quad (35)$$

$$x_{ijts} \leq z_{jk} \quad \forall i \in I, j \in N_i, \forall t \in T, s \in S : k = \sum_{t' \leq t} p_{t's} \quad (36)$$

$$\sum_{j \in N_i \cup N_i^b} x_{ijts} \leq 1 \quad \forall i \in I, t \in T, s \in S \quad (37)$$

$$z_{jk} \geq z_{j(k-1)} \quad \forall j \in J, k \in \{1, 2, \dots, n\} \quad (38)$$

$$\sum_{j \in J} z_{jk} = k \quad \forall k \in \{0, 1, 2, \dots, n\} \quad (39)$$

$$x_{ijts} \geq 0 \quad \forall i \in I, j \in N_i \cup N_i^b, t \in T, s \in S \quad (40)$$

$$\theta \geq 0 \quad (41)$$

$$z_{jk} \in \{0, 1\} \quad \forall j \in J, k \in \{0, 1, 2, \dots, n\} \quad (42)$$

(34) and (35) help linearize the objective of minimizing the maximum regret, similar to MMCLPSU formulation above. ζ_s^* is the maximum coverage possible in a given scenario $s \in S$. It's value is obtained by solving (43) - (49), as given below, which we call as Multi-period Maximal Covering Location Problem with Partial coverage (MMCLP-P). Constraint set (37) ensures that a demand node is covered by at most one open facility. (38) and (39) are the same as (20) and (21). x_{ijts} , which by definition is a binary variable, can

be relaxed as a continuous variable (Vatsa & Ghosh, 2014). Since $x_{ijts} \leq 1$ is already implied by (37), continuous relaxation of binary x_{ijts} is stated as (40). (41) and (42) are non-negativity and binary constraints. Clearly, MMCLPSU is a special case of MMCLPSU-P when $\delta_{min} = \delta_{max}$.

$$[\text{MMCLP-P:}] \quad \text{Max } \zeta_s = \sum_{i \in I} \sum_{j \in J} \sum_{t \in T} a_{ij} d_{it} x_{ijts} \quad (43)$$

$$s.t. \quad x_{ijts} \leq y_{jts} \quad \forall i \in I, j \in N_i, \forall t \in T \quad (44)$$

$$\sum_{j \in N_i \cup N_i^b} x_{ijts} \leq 1 \quad \forall i \in I, t \in T \quad (45)$$

$$y_{jts} \geq y_{j(t-1)s} \quad \forall j \in J, t \in T \setminus \{1\} \quad (46)$$

$$\sum_{j \in J} y_{jts} = \sum_{t' \leq t} p_{t's} \quad \forall t \in T \quad (47)$$

$$0 \leq x_{ijts} \leq 1 \quad \forall i \in I, j \in N_i \cup N_i^b, t \in T \quad (48)$$

$$y_{jts} \in \{0, 1\} \quad \forall j \in J, t \in T \quad (49)$$

All the constraints of MMCLP-P are also implied in MMCLPSU-P. Here again, as in MMCLP, constraint set (46) ensures that a facility once opened remains open throughout the planning horizon. Such a constraint is redundant in MMCLPSU-P, as it is already implied by the use of sequence variable r_{jl} .

Like MMCLPSU for the complete coverage, MMCLPSU-P is also a better formulation compared to the formulation given by Vatsa & Ghosh (2014) for the problem with gradual coverage. This can be proven along similar lines as done for MMCLPSU, and hence we skip the details. We now present the Benders' decomposition based solution method for complete and gradual coverage versions of the problem.

3 Benders' decomposition based solution method

Benders' decomposition is a partition based solution technique, which has been applied to solve mixed integer programming problems (Benders, 1962). It has been successfully applied to (multicommodity) network design (Geoffrion & Graves, 1974), facility location (Wentges, 1996), and hub location (de Camargo et al., 2009, 2011; Contreras et al., 2011). Costa (2005) provides a detailed review of application of Benders' decomposition to the above problems.

In Benders' decomposition method, the original problem is partitioned into a master problem and a sub-problem. The master problem and the sub-problem are solved iteratively by utilizing the solution of one in the other. The master problem contains a set of the complicating (integer) variables and their associated constraints. The sub-problem is obtained by temporarily fixing the integer variables in the original problem using the solution of the master problem. At each iteration, a relaxed master problem is solved to obtain a lower bound. The sub-problem solution generates a Benders' cut, which is added back to the master problem. The master problem is completely defined when all possible Benders' cuts are added to the problem. However, in practice this is unnecessary, and at each iteration a relaxed master problem is solved, where only a subset of all possible Benders' cut is added to the master problem. For a minimization problem, relaxed master problem solution at any iteration provides a lower bound to the original problem, while the sub-problem

solution generates an upper bound. The Benders' algorithm converges to an optimal solution for the original mixed integer programming problem if such a solution exists.

We describe the Benders' decomposition based solution method as applied to MMCLPSU in section 3.1, and MMCLPSU-P in section 3.2.

3.1 Complete coverage

As shown by Vatsa & Ghosh (2014), removal of the set J^b of pre-existing facilities, if any, along with the demand nodes that they cover does not affect the optimal objective functional value of MMCLPSU. We use this result to eliminate set J^b from further consideration in MMCLPSU. By fixing the binary variables z_{jk} as \bar{z}_{jk} we obtain the following primal sub-problem:

[MMCLPSU-PSP:]

$$\text{Min } \theta \quad (50)$$

$$\text{s.t. } \theta + \sum_{i \in I} \sum_{t \in T} d_{it} x_{its} \geq \zeta_s^* \quad \forall s \in S \quad (51)$$

$$x_{its} \leq \sum_{j \in N_i} \bar{z}_{jk} \quad \forall i \in I, t \in T, s \in S : k = \sum_{t' \leq t} p_{t's} \quad (52)$$

$$x_{its} \leq 1 \quad \forall i \in I, t \in T, s \in S \quad (53)$$

$$\theta, x_{its} \geq 0 \quad \forall i \in I, t \in T, s \in S \quad (54)$$

Let α_s, β_{its} and ρ_{its} be the dual variables associated with the constraint set (51), (52) and (53) respectively. The dual of this problem can be formulated as follows:

[MMCLPSU-DSP:]

$$\text{Max } \sum_{s \in S} \zeta_s^* \alpha_s - \sum_{i \in I} \sum_{t \in T} \sum_{s \in S} \rho_{its} - \sum_{i \in I} \sum_{t \in T} \sum_{s \in S} \left(\beta_{its} \sum_{j \in N_i} \bar{z}_{jk} : k = \sum_{t' \leq t} p_{t's} \right) \quad (55)$$

$$\text{s.t. } d_{it} \alpha_s - \beta_{its} - \rho_{its} \leq 0 \quad \forall i \in I, t \in T, s \in S \quad (56)$$

$$\sum_{s \in S} \alpha_s \leq 1 \quad (57)$$

$$\alpha_s, \beta_{its}, \rho_{its} \geq 0 \quad \forall i \in I, t \in T, s \in S \quad (58)$$

Let H denote the set of all extreme points of MMCLPSU-DSP. For each extreme point $h \in H$, we denote the corresponding values of the dual variables as $\alpha_s^h, \beta_{its}^h, \rho_{its}^h$, and the corresponding values of the primal variables as x_{its}^h, θ^h . The Benders' cut generated by the extreme point h to be included in the master problem is given by:

$$\eta \geq \sum_{s \in S} \zeta_s^* \alpha_s^h - \sum_{i \in I} \sum_{t \in T} \sum_{s \in S} \rho_{its}^h - \sum_{i \in I} \sum_{t \in T} \sum_{s \in S} \left(\beta_{its}^h \sum_{j \in N_i} z_{jk} : k = \sum_{t' \leq t} p_{t's} \right) \quad (59)$$

Since the master problem deals with z_{jk} variables, rearranging the last term of (59) gives the following alternate representation of the Benders' cuts:

$$\eta \geq \sum_{s \in S} \zeta_s^* \alpha_s^h - \sum_{i \in I} \sum_{t \in T} \sum_{s \in S} \rho_{its}^h - \sum_{j \in J} \sum_{t \in T} \sum_{s \in S} \left(\sum_{i \in N_j} \beta_{its}^h \right) z_{jk: k = \sum_{t' \leq t} p_{t's}} \quad (60)$$

where N_j is the set of demand nodes that can be covered by any candidate facility j , i.e., $N_j = \{i \in I : a_{ij} = 1\}$. The master problem can be stated as follows:

[MMCLPSU-MP:]

$$\text{Min } \eta \quad (61)$$

$$\text{s.t. } z_{jk} \geq z_{j(k-1)} \quad \forall j \in J, k \geq 1 \quad (62)$$

$$\sum_{j \in J} z_{jk} = k \quad \forall k \in \{0, 1, \dots, n\} \quad (63)$$

$$\eta \geq \sum_{s \in S} \zeta_s^* \alpha_s^h - \sum_{i \in I} \sum_{t \in T} \sum_{s \in S} \rho_{its}^h - \sum_{j \in J} \sum_{t \in T} \sum_{s \in S} \left(\sum_{i \in N_j} \beta_{its}^h \right) z_{jk} \quad \forall h \in H, k = \sum_{t' \leq t} p_{t's} \quad (64)$$

$$z_{jk} \in \{0, 1\}, \eta \geq 0 \quad \forall j \in J, k \in \{0, \dots, n\} \quad (65)$$

Proposition 3. *The primal sub-problem MMCLPSU-PSP is always feasible and bounded for any feasible solution \bar{z}_{jk} of the MMCLPSU-MP.*

Proof. A feasible solution to the master problem at any iteration provides a facility opening sequence, indicated by the values of \bar{z}_{jk} . Such a sequence obtained from the master problem also conveys the set of facilities open, and hence the coverage of each demand node (defined by the value of the variable x_{its}), in each time period t and scenario s . Hence, a feasible solution to a master problem always produces a feasible solution to the corresponding sub-problem. This feasible solution can be used to calculate overall coverage and regret in each scenario s . Using the regret value in each scenario, objective function value of the sub-problem, which is the maximum regret across all scenarios, can be obtained. Since the regret in any scenario, and hence the maximum among them, is finite, the optimal solution to the sub-problem is always bounded. \square

We now give propositions to efficiently solve MMCLPSU-DSP since it needs to be solved iteratively in the Benders' decomposition framework.

Proposition 4. *For a given solution \bar{z}_{jk} to MMCLPSU-MP, algorithm 1 gives an optimal solution to MMCLPSU-DSP.*

Proof. First, we prove that algorithm 1 gives a feasible solution to MMCLPSU-DSP. Clearly, steps 1 and 2 give an optimal solution to MMCLPSU-PSP. The solution to MMCLPSU-DSP is obtained in steps 3 to 6 using complementary slackness conditions between MMCLPSU-PSP and MMCLPSU-DSP. Applying complementary slackness condition to (51) gives: $(\theta + \sum_{i \in I} \sum_{t \in T} d_{it} x_{its} - \zeta_s^*) \alpha_s = 0 \quad \forall s \in S$. This, together with (57) gives as feasible solution $\alpha_\xi = 1$, where $\xi = \arg\max_{s \in S} (\zeta_s^* - \sum_{i \in I} \sum_{t \in T} d_{it} x_{its})$ and $\alpha_s = 0 \quad \forall s \in S \setminus \xi$ in step 3. Further, complementary slackness condition on constraint set (53) in step 4 gives $\rho_{its} = 0$ when

Algorithm 1 Solution algorithm for MMCLPSU-DSP

-
- 1: set $x_{its} \leftarrow \min(1, \sum_{j \in N_i} \bar{z}_{jk}) \quad \forall i \in I, t \in T, s \in S$, where $k = \sum_{t' \leq t} p_{t's}$;
 - 2: $\theta \leftarrow \max_{s \in S} \left(\zeta_s^* - \sum_{i \in I} \sum_{t \in T} d_{it} x_{its} \right)$, $\xi \leftarrow \operatorname{argmax}_{s \in S} \left(\zeta_s^* - \sum_{i \in I} \sum_{t \in T} d_{it} x_{its} \right)$. Ties can be broken arbitrarily;
 - 3: set $\alpha_\xi \leftarrow 1, \alpha_s \leftarrow 0 \quad \forall s \in S \setminus \xi$;
 - 4: **if** $x_{its} = 0$ **then** set $\rho_{its} \leftarrow 0, \beta_{its} \leftarrow d_{it} \alpha_s \quad \forall i \in I, t \in T, s \in S$;
 - 5: **else** set $\beta_{its} \leftarrow 0, \rho_{its} \leftarrow d_{it} \alpha_s \quad \forall i \in I, t \in T, s \in S$;
 - 6: **end if**
 - 7: output $\alpha_s, \beta_{its}, \rho_{its} \quad \forall i \in I, t \in T, s \in S$.
-

$x_{its} = 0 \quad \forall i \in I, t \in T, s \in S$. β_{its} is obtained in step 4 using the values of α_s and ρ_{its} in (56) and exploiting the fact that (56) is binding at optimality. On the other hand, when $x_{its} \neq 0$, step 5 gives feasible values for β_{its} and ρ_{its} using (56). The intuition behind this step comes from the interpretation of the dual variables.

We now show that this solution is optimal. From steps 3, 4 and 5, $\alpha_s = 0, \beta_{its} = 0, \rho_{its} = 0 \quad \forall s \in S \setminus \xi$. Hence, with the solution found in algorithm 1, the objective function of MMCLPSU-DSP, given by (55), can be expressed as:

$$\zeta_\xi^* - \sum_{i \in I} \sum_{t \in T} \rho_{it\xi} - \sum_{i \in I} \sum_{t \in T} \left(\beta_{it\xi} \sum_{j \in N_i} \bar{z}_{jk}: k = \sum_{t' \leq t} p_{t'\xi} \right) \quad (66)$$

It can be seen from steps 4 and 5 that $\beta_{it\xi}$ indicates the demand that is not covered, while $\rho_{it\xi}$ indicates the demand that is covered at demand node i in period t and scenario ξ . Consequently, the first two terms in (66) together give the regret in scenario ξ , which from step 2 is equal to θ . Hence, (66) can be restated as:

$$\theta - \sum_{i \in I} \sum_{t \in T} \left(\beta_{it\xi} \sum_{j \in N_i} \bar{z}_{jk}: k = \sum_{t' \leq t} p_{t'\xi} \right) \quad (67)$$

Moreover, from step 4 it is evident that $\beta_{it\xi}$ takes a non-zero value only if $x_{it\xi} = 0 \implies \sum_{j \in N_i} \bar{z}_{jk} = 0$ (from step 1). Consequently, the second term in (67) equates to zero. Hence, the objective function value of MMCLPSU-DSP is equal to θ , which is also the objective function value of MMCLPSU-PSP. Since this dual solution is feasible, it must be optimal. \square

Corollary 4.1. *The Benders' cut (64) can be expressed as:*

$$\eta \geq \theta^h - \sum_{j \in J} \sum_{t \in T} \left(\sum_{i \in N_j} \beta_{it\xi^h}^h \right) z_{jk}: k = \sum_{t' \leq t} p_{t'\xi^h} \quad \forall h \in H \quad (68)$$

where, ξ^h is $\operatorname{argmax}_{s \in S} \left(\zeta_s^* - \sum_{i \in I} \sum_{t \in T} d_{it} x_{its} \right)$ associated with the extreme point h .

Proof. This follows directly from substituting the values of dual variables in (67), using z_{jk} as a variable, and rearranging the terms. \square

Proposition 5. Let s_1 and s_2 be any two scenarios in step 2 of algorithm 1 such that $\theta = \zeta_{s_1}^* - \sum_{i \in I} \sum_{t \in T} d_{it} x_{its_1} = \zeta_{s_2}^* - \sum_{i \in I} \sum_{t \in T} d_{it} x_{its_2}$ and $\sum_{t' \leq t} p_{t's_1} \leq \sum_{t' \leq t} p_{t's_2} \quad \forall t \in T$, then $\xi \leftarrow s_2$ cannot provide a weaker Benders' cut than $\xi \leftarrow s_1$.

Proof. Clearly, from step 1, we know that MMCLPSU-PSP has a unique optimal solution for a given solution \bar{z}_{jk} to MMCLPSU-MP. Let that solution to MMCLPSU-PSP be $\bar{x}_{its}, \bar{\theta}$. However, MMCLPSU-DSP may have multiple optimal solutions corresponding this primal optimal solution (depending on the choice of ξ in step 2 of algorithm 1). Let two such optimal solutions be associated with the extreme points h_1 and h_2 of MMCLPSU-DSP. Let $\alpha_s^{h_1}, \beta_{its}^{h_1}, \rho_{its}^{h_1}$ and $\alpha_s^{h_2}, \beta_{its}^{h_2}, \rho_{its}^{h_2}$ be the optimal solutions to MMCLPSU-DSP at the extreme point h_1 and h_2 . Further, let $\xi \leftarrow s_1$ at the extreme point h_1 and $\xi \leftarrow s_2$ at extreme point h_2 (in step 2 of algorithm 1) such that $\theta^{h_1} = \zeta_{s_1}^* - \sum_{i \in I} \sum_{t \in T} d_{it} x_{its_1}^{h_1} = \zeta_{s_2}^* - \sum_{i \in I} \sum_{t \in T} d_{it} x_{its_2}^{h_2} = \theta^{h_2} = \theta$ (let's say).

Then, the Benders' cut $\eta \geq \theta^{h_2} - \sum_{j \in J} \sum_{t \in T} \left(\sum_{i \in N_j} \beta_{it\xi}^{h_2} \right) z_{jk: k = \sum_{t' \leq t} p_{t'\xi^{h_2}}}$ is no weaker than the Benders' cut $\eta \geq \theta^{h_1} - \sum_{j \in J} \sum_{t \in T} \left(\sum_{i \in N_j} \beta_{it\xi}^{h_1} \right) z_{jk: k = \sum_{t' \leq t} p_{t'\xi^{h_1}}}$ if (Magnanti & Wong, 1981):

$$\theta^{h_1} - \sum_{i \in I} \sum_{t \in T} \left(\beta_{its_1}^{h_1} \sum_{j \in N_i} z_{jk: k = \sum_{t' \leq t} p_{t's_1}} \right) \leq \theta^{h_2} - \sum_{i \in I} \sum_{t \in T} \left(\beta_{its_2}^{h_2} \sum_{j \in N_i} z_{jk: k = \sum_{t' \leq t} p_{t's_2}} \right) \quad (69)$$

Since, $\theta^{h_1} = \theta^{h_2}$, the above condition reduces to:

$$\sum_{i \in I} \sum_{t \in T} \left(\beta_{its_1}^{h_1} \sum_{j \in N_i} z_{jk: k = \sum_{t' \leq t} p_{t's_1}} \right) \geq \sum_{i \in I} \sum_{t \in T} \left(\beta_{its_2}^{h_2} \sum_{j \in N_i} z_{jk: k = \sum_{t' \leq t} p_{t's_2}} \right) \quad (70)$$

We now prove that (70) is indeed true. For this, let $\sum_{t' \leq t} p_{t's_1} = k_t$ and $\sum_{t' \leq t} p_{t's_2} = k'_t \quad \forall t \in T$. It is given that $k_t \leq k'_t \quad \forall t \in T$. Also, (from (62)), we get $z_{j(k-1)} \leq z_{jk} \quad \forall j \in J, k \in \{1, 2, \dots, n\}$. Hence, any feasible solution to MMCLPSU-MP should satisfy: $\bar{z}_{jk_t} \leq \bar{z}_{jk'_t} \quad \forall j \in J, t \in T$. Therefore, step 1 of algorithm 1 gives the following relation: $x_{its_1} \leq x_{its_2} \quad \forall i \in I, t \in T$. This, together with steps 4 and 5 of algorithm 1, gives: $\beta_{its_1}^{h_1} \geq \beta_{its_2}^{h_2} \quad \forall i \in I, t \in T$. This proves that (70) is true, which proves the proposition. \square

3.2 Gradual coverage

By fixing the binary variables z_{jk} as \bar{z}_{jk} we obtain the following primal sub-problem:

[MMCLPSU-P-PSP:]

$$\text{Min } \theta \quad (71)$$

$$\text{s.t. } \theta \geq \zeta_s^* - \sum_{i \in I} \sum_{j \in N_i \cup N_i^b} \sum_{t \in T} a_{ij} d_{it} x_{ijts} \quad \forall s \in S \quad (72)$$

$$x_{ijts} \leq \bar{z}_{jk} \quad \forall i \in I, j \in N_i, \forall t \in T, s \in S : k = \sum_{t' \leq t} p_{t's} \quad (73)$$

$$\sum_{j \in N_i \cup N_i^b} x_{ijts} \leq 1 \quad \forall i \in I, t \in T, s \in S \quad (74)$$

$$x_{ijts} \geq 0 \quad \forall i \in I, j \in N_i \cup N_i^b, t \in T, s \in S \quad (75)$$

$$\theta \geq 0 \quad (76)$$

Let α_s, β_{ijts} and γ_{its} be the dual variables associated with (72), (73) and (74), respectively. The dual sub-problem is formulated as:

$$\text{[MMCLPSU-P-DSP:]} \quad \text{Max} \quad \sum_{s \in S} \zeta_s^* \alpha_s - \sum_{i \in I} \sum_{t \in T} \sum_{s \in S} \gamma_{its} - \sum_{i \in I} \sum_{j \in N_i} \sum_{t \in T} \sum_{s \in S} \beta_{ijts} \bar{z}_{jk} : k = \sum_{t' \leq t} p_{t's} \quad (77)$$

$$s.t. \quad a_{ij} d_{it} \alpha_s - \beta_{ijts} - \gamma_{its} \leq 0 \quad \forall i \in I, j \in N_i \cup N_i^b, t \in T, s \in S \quad (78)$$

$$\sum_{s \in S} \alpha_s \leq 1 \quad (79)$$

$$\alpha_s, \beta_{ijts}, \gamma_{its} \geq 0 \quad \forall i \in I, j \in N_i \cup N_i^b, t \in T, s \in S \quad (80)$$

Let N_j be the set of demand nodes that can be covered completely or partially by any candidate facility j , i.e., $N_j = \{i \in I : a_{ij} > 0\}$. The master problem can be formulated as follows:

$$\text{[MMCLPSU-P-MP:]} \quad \text{Min} \quad \eta \quad (81)$$

$$s.t. \quad z_{jk} \geq z_{j(k-1)} \quad \forall j \in J, k \geq 1 \quad (82)$$

$$\sum_{j \in J} z_{jk} = k \quad \forall k \in \{0, 1, \dots, n\} \quad (83)$$

$$\eta \geq \sum_{s \in S} \zeta_s^* \alpha_s^h - \sum_{i \in I} \sum_{t \in T} \sum_{s \in S} \gamma_{its}^h - \sum_{j \in J} \sum_{t \in T} \sum_{s \in S} \left(\sum_{i \in N_j} \beta_{ijts}^h \right) z_{jk} \quad \forall h \in H : k = \sum_{t' \leq t} p_{t's} \quad (84)$$

$$z_{jk} \in \{0, 1\} \quad \forall j \in J, k \in \{0, 1, \dots, n\} \quad (85)$$

Proposition 6. *The primal sub-problem MMCLPSU-P-PSP is always feasible and bounded for any feasible solution \bar{z}_{jk} of the MMCLPSU-P-MP.*

Proof. This can be proved along similar lines as the proof for proposition 3. \square

We now give propositions to solve MMCLPSU-P-DSP efficiently.

Proposition 7. *For a given solution \bar{z}_{jk} to MMCLPSU-P-MP, algorithm 2 gives an optimal solution to MMCLPSU-P-DSP.*

Proof. First, we prove that algorithm 2 gives a feasible solution to MMCLPSU-P-DSP. Let us define $X_{its} = \max_{j \in N_i \cup N_i^b} a_{ij} x_{ijts} \quad \forall i \in I, t \in T, s \in S$ as the maximum level (fraction) of coverage possible for node i in time period t and scenario s . X_{its} , by this definition, is also equal to $\max_{j \in N_i \cup N_i^b} a_{ij} \bar{z}_{jk} \quad \forall i \in I, t \in T, s \in S$, where $k = \sum_{t' \leq t} p_{t's}$, as shown in step 1. Clearly, steps 1 and 2 together solve MMCLPSU-P-PSP optimally. The solution to MMCLPSU-P-DSP is obtained in steps 3 to 6 using complementary slackness conditions between MMCLPSU-P-PSP and MMCLPSU-P-DSP.

Algorithm 2 Dual sub-problem solution

-
- 1: set $X_{its} \leftarrow \max_{j \in N_i \cup N_i^b} a_{ij} \bar{z}_{jk} \quad \forall i \in I, t \in T, s \in S$, where $k = \sum_{t' \leq t} p_{t's}$;
 - 2: $\theta \leftarrow \max_{s \in S} \left(\zeta_s^* - \sum_{i \in I} \sum_{t \in T} d_{it} X_{its} \right)$, $\xi \leftarrow \operatorname{argmax}_{s \in S} \left(\zeta_s^* - \sum_{i \in I} \sum_{t \in T} d_{it} X_{its} \right)$. Ties are broken using proposition 5;
 - 3: set $\alpha_\xi \leftarrow 1, \alpha_s \leftarrow 0 \quad \forall s \in S \setminus \xi, \beta_{ijts} \leftarrow 0 \quad \forall i \in I, j \in N_i^b, t \in T, s \in S$;
 - 4: **if** $X_{its} = 0$ **then** set $\gamma_{its} \leftarrow 0, \beta_{ijts} \leftarrow a_{ij} d_{it} \alpha_s, \quad \forall i \in I, j \in N_i, t \in T, s \in S$;
 - 5: **else** set $\gamma_{its} \leftarrow X_{its} d_{it} \alpha_s$ and $\beta_{ijts} \leftarrow \max(0, a_{ij} d_{it} \alpha_s - \gamma_{its}) \quad \forall i \in I, j \in N_i, t \in T, s \in S$;
 - 6: **end if**
 - 7: output $\alpha_s, \beta_{ijts}, \gamma_{its} \quad \forall i \in I, j \in N_i, t \in T, s \in S$.
-

Applying complementary slackness condition to (72) gives: $(\theta + \sum_{i \in I} \sum_{j \in N_i \cup N_i^b} \sum_{t \in T} d_{it} x_{ijts} - \zeta_s^*) \alpha_s = 0 \quad \forall s \in S$. This, together with (79) gives as feasible solution $\alpha_\xi = 1$, where $\xi = \operatorname{argmax}_{s \in S} (\zeta_s^* - \sum_{i \in I} \sum_{t \in T} d_{it} X_{its})$ and $\alpha_s = 0 \quad \forall s \in S \setminus \xi$ in step 3. $X_{its} = 0$, by its definition, implies $x_{ijts} = 0 \quad \forall j \in N_i \cup N_i^b$ for any $i \in I, t \in T, s \in S$. In step 4, the above result, together with the complementary slackness condition on constraint set (74), gives $\gamma_{its} = 0$ when $X_{its} = 0 \quad \forall i \in I, t \in T, s \in S$. Furthermore, β_{ijts} is obtained in step 4 using the values of α_s and γ_{its} in (78) and exploiting the fact that (78) is binding at optimality. On the other hand, when $X_{its} \neq 0$, step 5 gives feasible values for β_{ijts} and ρ_{ijts} using (78). The intuition behind this step comes from the interpretation of the dual variables that an increase of one unit in the RHS of (74) implies an improvement of $X_{its} d_{it} \alpha_s$ in the objective function value (double counting demand covered at node i in period t and scenario s).

We now show that this solution is the optimal solution to MMCLPSU-P-DSP. With this solution obtained using algorithm 2, MMCLPSU-P-DSP objective function (77) is expressed as:

$$\theta - \sum_{i \in I} \sum_{j \in N_i} \sum_{t \in T} \beta_{ijt\xi} \bar{z}_{jk: k = \sum_{t' \leq t} p_{t'\xi}} \quad (86)$$

As in the problem with complete coverage, the second term of (86) evaluates to zero. This is because β_{ijts} takes a positive value only when $z_{jk} = 0$, where $k = \sum_{t' \leq t} p_{t'\xi}$ (follows from steps 1, 4 and 5). Consequently, dual and primal objective function value are same (equal to θ) and hence the algorithm 2 solves the MULLPSU-P-2-DSP to optimality. \square

Although ties in step 2 of algorithm 2 can be broken arbitrarily, breaking them using proposition 5 is guaranteed to generate a Benders' cut that is no weaker than any other Benders' cut generated by breaking ties arbitrarily. The proof for this is similar to that for proposition 5, and hence we skip the details.

Corollary 7.1. *The Benders' cut (84) can be expressed as:*

$$\eta \geq \theta^h - \sum_{j \in J} \sum_{t \in T} \left(\sum_{i \in N_j} \beta_{ijt\xi^h}^h \right) z_{jk: k = \sum_{t' \leq t} p_{t'\xi^h}} \quad \forall h \in H \quad (87)$$

where, ξ^h is $\operatorname{argmax}_{s \in S} \left(\zeta_s^* - \sum_{i \in I} \sum_{t \in T} d_{it} X_{its} \right)$ associated with the extreme point h .

Proof. This follows directly from substituting the values of dual variables in (86), using z_{jk} as a variable, and rearranging the terms. \square

3.3 Implementation of Benders' decomposition cuts using callback

Benders' decomposition described above in section 3 is the classical textbook version. In the classical implementation of Benders' decomposition, the master problem is solved to optimality at each iteration, which becomes increasingly difficult with each successive iteration. The modern version of Benders' decomposition, therefore, uses an incumbent solution in the branch-and-bound search tree to be passed to the sub-problem for Benders' cut generation. This is facilitated by the flexibility provided by commercial solvers (like CPLEX) to the users to intervene in the branch-and-bound tree search process (using callback in CPLEX). In this framework, the master problem is solved to optimality only once. Moreover, the generated Benders' cuts are added to the master problem as *lazy constraints*. Bai & Rubin (2009); Fortz & Poss (2009); Botton et al. (2013) have found this implementation to be more efficient than the classical version of Benders' decomposition. We present the flowchart of this implementation of Benders' decomposition algorithm in figure 2.




Figure 2: Flowchart for Benders' decomposition implementation

4 Computational study

In this section, we describe the data generation scheme used for our computational experiments, followed by discussion of computational results.

4.1 Data generation

We use the following scheme to generate the data used in our computational study. The number of demand nodes $m \in \{200, 300, 400, 500\}$. X and Y coordinates of all the demand nodes are generated as $X \sim U[0, 100]$ and $Y \sim U[0, 100]$. The number of candidate facilities $n \in \{10, 15, 20\}$. These candidate facilities are randomly selected as a subset of the m demand nodes. This gives us 12 (=3x4) problem sizes for both MMCLPSU and MMCLPSU-P. In all our experiments, the set J^b of open facilities at the start of the planning horizon is assumed to be empty. Distance δ_{ij} between demand node i and candidate facility location j is taken as the Euclidean distance $\sqrt{(X_i - X_j)^2 + (Y_i - Y_j)^2}$. Covering distance in MMCLPSU is fixed as $\delta_0 = 20$ for $n = 10, 15$ and $\delta_0 = 15$ for $n = 20$. Maximum and minimum covering distances in MMCLPSU-P are fixed as $\delta_{max} = 30$ and $\delta_{min} = 20$ for $n = 10, 15$, while $\delta_{max} = 25$ and $\delta_{min} = 15$ for $n = 20$. Coverage is assumed to decrease linearly between δ_{min} and δ_{max} , implying the following coverage function:

$$a_{ij} = \begin{cases} 1 & \text{if } \delta_{ij} \leq \delta_{min}, \\ 1 - \frac{\delta_{ij} - \delta_{min}}{\delta_{max} - \delta_{min}} = \frac{\delta_{max} - \delta_{ij}}{\delta_{max} - \delta_{min}} & \text{if } \delta_{min} < \delta_{ij} \leq \delta_{max}, \\ 0 & \text{if } \delta_{ij} > \delta_{max}. \end{cases}$$

The first period demand at any demand node i is generated as $d_{i1} \sim U[50, 1500]$. Demand at node i in successive periods of the planning horizon varies as $d_{it} = d_{i(t-1)}(1 + g_i)$, where g_i is the demand growth rate at node i , generated as $g_i \sim U[-0.04, 0.10]$.

Length of the planning horizon in all experiments is assumed to be 5 periods. We assume that by the end of the planning horizon (i.e., in period $t = 5$), servers are available for all the candidate facilities under any scenario. With this assumption, all facility opening sequences give the same demand coverage in the last period. Hence, the last period $t = 5$ can be excluded from the model since it does not make any contribution to the regret. Clearly, any problem with $|T|$ periods with such an assumption is equivalent to a corresponding problem with $|T| - 1$ periods without this assumption. Thus, for a 5 period problem, the total number of possible scenarios under this assumption is $\binom{n+4}{n} = \frac{(n+4)!}{n!4!}$. Server availability scenarios are generated using algorithm 3.

Algorithm 3 Generation of server availability scenarios

```

1:  $s \leftarrow 0$ ;
2: for  $t_1 \leftarrow 0, n$  do
3:   for  $t_2 \leftarrow 0, n - t_1$  do
4:     for  $t_3 \leftarrow 0, n - t_1 - t_2$  do
5:       for  $t_4 \leftarrow 0, n - t_1 - t_2 - t_3$  do
6:          $s \leftarrow s + 1$ ;
7:          $p_{1s} \leftarrow t_1, p_{2s} \leftarrow t_2, p_{3s} \leftarrow t_3, p_{4s} \leftarrow t_4, p_{5s} \leftarrow n - t_1 - t_2 - t_3 - t_4$ ;
8:       end for
9:     end for
10:   end for
11: end for

```

4.2 Computational results

Computational study is done on the data generated using the scheme described above. All the experiments are run on a personal computer with Intel Core i5 (3.30 GHz) processor; 4 GB RAM; and windows 64-bit operating system. Solution algorithms are coded in C++ (Visual Studio 2010), and IBM ILOG CPLEX 12.4 is used as the MIP solver. In all our experiments, the maximal coverage ζ_s^* for each scenario $s \in S$ is obtained by solving MMCLP for complete coverage and MMCLP-P for gradual coverage using CPLEX MIP solver. The total CPU time taken to obtain ζ_s^* across all scenarios is less than 200 and 4000 seconds for complete and partial coverage, respectively, even for the largest problem instance that we solve. These times are much smaller than the CPU time taken by CPLEX MIP solver to solve MMCLPSU and MMCLPSU-P, respectively. Hence, we do not include these times in the total CPU times reported in all our experiments.

It is clear from table 2 that the problem size (number of variables and constraints) increases with the number of scenarios considered. Hence, in all our experiments, we use scenario dominance rules given by Vatsa & Ghosh (2014) to reduce the size of the problem. For this, we represent any server availability scenario s as $(b_1, b_2, \dots, b_t, \dots, b_{|T|})$ where b_t is the number of new servers that become available in period $t \in T$. A facility opening sequence Π is represented as $\Pi = (\pi_1, \pi_2, \dots, \pi_n)$, where π_i is the i^{th} facility in the facility opening sequence. Further, $\bar{d}_{t, \pi_i \cup \pi_{i+1} \cup \dots \cup \pi_j}$ is the total demand covered by the set of facilities $\{\pi_i, \pi_{i+1}, \dots, \pi_j\}$ in period t .

Rule 1: Scenarios in which all n servers become available in the same period, will have zero regret for any facility opening sequence. Hence, the regret associated with these scenarios can never be greater than the regret associated with any other scenario.

Rule 2: Consider a scenario $s_1 = (0, \dots, b_t, \dots, b_{|T|})$ that has 0 new server available in the first period, and the first new server available in period t . Compare s_1 with another scenario $s_2 = (1, \dots, b_t - 1, \dots, b_{|T|})$. For any facility opening sequence Π , regret associated with s_1 can never be greater than that associated with s_2 if:

$$\bar{d}_{1, \pi_1} + \bar{d}_{2, \pi_1} + \dots + \bar{d}_{(t-1), \pi_1} \leq \zeta_{s_2}^* - \zeta_{s_1}^* \quad (88)$$

Rule 3: Consider a scenario $s_1 = (b_1, \dots, b_t, \dots, 0)$ that has 0 new server available in the last period, and the n^{th} new server available in period t . Compare s_1 with another scenario $s_2 = (b_1, \dots, b_t - 1, \dots, 1)$. For any facility opening sequence Π , regret associated with s_1 can never be greater than that associated with s_2 if:

$$(\bar{d}_{(|T|-1), J} - \bar{d}_{(|T|-1), J \setminus \pi_n}) + (\bar{d}_{(|T|-2), J} - \bar{d}_{(|T|-2), J \setminus \pi_n}) + \dots + (\bar{d}_{t, J} - \bar{d}_{t, J \setminus \pi_n}) \geq \zeta_{s_1}^* - \zeta_{s_2}^* \quad (89)$$

Rule 4: Consider a scenario $s_1 = (1, \dots, b_t, \dots, b_{|T|})$ that has 1 new server available in the first period, and the second new server available in period t . Compare s_1 with another scenario $s_2 = (2, \dots, b_t - 1, \dots, b_{|T|})$. For any facility opening sequence Π , regret associated with s_1 can never be greater than that associated with s_2

if:

$$(\bar{d}_{1,\pi_1 \cup \pi_2} - \bar{d}_{1,\pi_1}) + (\bar{d}_{2,\pi_1 \cup \pi_2} - \bar{d}_{2,\pi_1}) + \dots + (\bar{d}_{(t-1),\pi_1 \cup \pi_2} - \bar{d}_{(t-1),\pi_1}) \leq \zeta_{s_2}^* - \zeta_{s_1}^* \quad (90)$$

Rule 5: Consider a scenario $s_1 = (b_1, \dots, b_t, \dots, 1)$ that has 1 new server available in the last period, and the $(n-1)^{th}$ new server available in period t . Compare s_1 with another scenario $s_2 = (b_1, \dots, b_t - 1, \dots, 2)$. For any facility opening sequence Π , regret associated with s_1 can never be greater than that associated with s_2 if:

$$\begin{aligned} & (\bar{d}_{(|T|-1),J \setminus \pi_n} - \bar{d}_{(|T|-1),J \setminus \{\pi_n, \pi_{n-1}\}}) + (\bar{d}_{(|T|-2),J \setminus \pi_n} - \bar{d}_{(|T|-2),J \setminus \{\pi_n, \pi_{n-1}\}}) + \dots \\ & \dots + (\bar{d}_{t,J \setminus \pi_n} - \bar{d}_{t,J \setminus \{\pi_n, \pi_{n-1}\}}) \geq \zeta_{s_1}^* - \zeta_{s_2}^* \end{aligned} \quad (91)$$

Rule 6: Consider a scenario $s_1 = (2, \dots, b_t, \dots, b_{|T|})$ that has 2 new servers available in the first period, and the third new server available in period t . Compare s_1 with another scenario $s_2 = (3, \dots, b_t - 1, \dots, b_{|T|})$. For any facility opening sequence Π , regret associated with s_1 can never be greater than that associated with s_2 if:

$$\begin{aligned} & (\bar{d}_{1,\pi_1 \cup \pi_2 \cup \pi_3} - \bar{d}_{1,\pi_1 \cup \pi_2}) + (\bar{d}_{2,\pi_1 \cup \pi_2 \cup \pi_3} - \bar{d}_{2,\pi_1 \cup \pi_2}) + \dots \\ & \dots + (\bar{d}_{(t-1),\pi_1 \cup \pi_2 \cup \pi_3} - \bar{d}_{(t-1),\pi_1 \cup \pi_2}) \leq \zeta_{s_2}^* - \zeta_{s_1}^* \end{aligned} \quad (92)$$

Rule 7: Consider a scenario $s_1 = (b_1, \dots, b_t, \dots, 2)$ that has 2 new server available in the last period, and the $(n-2)^{th}$ new server available in period t . Compare s_1 with another scenario $s_2 = (b_1, \dots, b_t - 1, \dots, 3)$. For any facility opening sequence Π , regret associated with s_1 can never be greater than that associated with s_2 if:

$$\begin{aligned} & (\bar{d}_{(|T|-1),J \setminus \{\pi_n, \pi_{n-1}\}} - \bar{d}_{(|T|-1),J \setminus \{\pi_n, \pi_{n-1}, \pi_{n-2}\}}) + (\bar{d}_{(|T|-2),J \setminus \{\pi_n, \pi_{n-1}\}} - \bar{d}_{(|T|-2),J \setminus \{\pi_n, \pi_{n-1}, \pi_{n-2}\}}) \\ & + \dots + (\bar{d}_{t,J \setminus \{\pi_n, \pi_{n-1}\}} - \bar{d}_{t,J \setminus \{\pi_n, \pi_{n-1}, \pi_{n-2}\}}) \geq \zeta_{s_1}^* - \zeta_{s_2}^* \end{aligned} \quad (93)$$

After applying the above scenario dominance rules, the remaining set of non-dominated scenarios is denoted as $S_0 \subset S$. We replace S by S_0 in all our experiments with MMCLPSU and MMCLPSU-P.

We conduct our computational experiments with 10 instances for each of the 12 problem sizes described in section 4.1. For MMCLPSU, table 4 reports the objective function value (Obj), time taken by CPLEX MIP solver (CPLEX CPU(s)), time and number of cuts required by the classic and callback versions of Benders' decomposition method (BD-Classic and BD-Callback). Clearly, BD-Classic and BD-Callback outperform the CPLEX MIP solver. For example, the computation time taken by the CPLEX MIP solver for the problem size of $n=15, m=300$ is on average more than 150 times the time taken by BD-Classic, and more than 250 times that taken by BD-Callback. Further, CPLEX solver could not solve MMCLPSU instances beyond problem size $n=15, m=300$ within the time limit of 20 hours. Benders-Classic, on the other hand, could solve most of the problem instances till $n=20, m=400$ within the same time limit, while Benders-Callback solved instances of size $n=20, m=500$ in close to 2 hours on average. At the same time, we notice that the number of cuts, and hence the CPU time, required by BD-Classic and BD-Callback increases with the problem size. However, the increase in CPU time is more drastic for BD-Classic since it solves a new master problem to optimality at each iteration, whereas BD-Callback solves only one master problem

to optimality. Subsequently, for MMCLPSU-P, we perform computational experiments only with CPLEX MIP solver and BD-Callback.

Table 5 provides a comparison between CPLEX MIP solver and BD-Callback for MMCLPSU-P. Like MMCLPSU, we notice that BD-Callback solves much larger instances of MMCLPSU-P compared to CPLEX MIP solver within the time limit of 20 hours. For example, CPLEX MIP solver could not solve 6 out of the 10 instances corresponding to $n = 10, m = 300$ within the 20 hour limit, while BD-Callback could solve all 10 instances corresponding to the largest size of $n = 20, m = 500$ in close to 1 hour on average. Further, for the instances that CPLEX MIP solver could solve within the time limit, BD-Callback is of the order of 1,000 times faster. Moreover, comparing the results in table 4 and 5, we notice that the CPLEX MIP solver could not solve many instances corresponding to $n = 10, m = 300$ for MMCLPSU-P, while it could solve much larger instances for MMCLPSU. This is expected since the size of the mathematical model for MMCLPSU-P is much larger than that for MMCLPSU (for example, MMCLPSU-P has variables x_{ijts} while MMCLPSU has x_{its}). Interestingly, the same does not appear to hold true with respect to BD-Callback. On the contrary, BD-Callback solves MMCLPSU-P instances much faster, on an average, compared to MMCLPSU. This is true because, as obvious from tables 4 and 5, the average number of Benders' cuts used by BD-Callback is smaller for MMCLPSU-P compared to MMCLPSU. This indicates that the Benders' cuts in MMCLPSU-P carry more information compared to the cuts in MMCLPSU (since the two master problems, MMCLPSU-MP and MMCLPSU-P-MP, differ only in Benders' cuts). This can be explained by comparing the Benders' cuts in the two models, which suggests that for $\delta_{min} = \delta_0$, as used in our experiments, the additional coverage (partial) allowed between δ_{min} and δ_{max} in case of MMCLPSU-P may result in more information with each Benders' cut (consequently fewer cuts). In order to check this assertion, we conduct additional experiments with 20 instances for different values of the covering distance (δ_0) in MMCLPSU. We depict the resulting average number of cuts used for each value of δ_0 in figure 3, which confirms our assertion.

Figures 4 and 5 show how the number of instances (out of 20) with 0 maximum regret as the objective function value, and the average objective function value vary with δ_0 . As obvious from figure 4, with a sufficiently high δ_0 , most of the instances result in 0 objective function value. This is expected since with a very high δ_0 , all the facility opening sequences provide the same coverage under any given scenario. Hence, the regret associated with an optimal sequence will be zero. Further, as can be seen from figure 5, the average objective function value first increases and then decreases with an increase in δ_0 . This is due to the fact that with very small δ_0 , total demand that can be covered is small in magnitude, and hence the regret is also of similar magnitude. As δ_0 increases, it becomes possible to cover more demand nodes by judiciously selecting candidate facilities to open. Consequently, when the optimal facility opening sequence has a regret, it is generally of higher magnitude. Furthermore, a very high δ_0 results in too many instances with low or zero objective function value, as observed in figure 4. Consequently, the average objective function value decreases with very high values of δ_0 . This observation provides an interesting insight. The covering distance represents the connectivity of the nodes. A larger covering distance indicates demand nodes are well connected with candidate facilities. The above observation implies that with a good level of connectivity, even the most unfavorable scenario will not have a high regret.




Figure 3: Average No. of Cuts vs. δ_0




Figure 4: No. of instance with zero objective function value vs. δ_0




Figure 5: Average objective function value vs. δ_0

Table 4: Computation results with MMCLPSU

Ins.	Obj	CPLEX				BD-Classic				BD-Callback																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
		Obj	CPLEX CPU(s)	BD-Classic CPU(s)	Cuts	BD-Classic CPU(s)	Cuts	Obj	CPLEX CPU(s)	BD-Classic CPU(s)	Cuts	BD-Callback CPU(s)	Cuts																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
n=10, m=200												n=10, m=300																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
1	4673.2	97.9	5.1	88	5.3	86	8557.7	59.7	9.3	84	12.2	114	2	7509.0	184.9	2.6	50	2.4	47	5174.2	79.7	7.1	77	5.5	56	3	19828.6	16.8	4.4	52	6.0	72	7986.4	600.7	13.3	116	12.1	116	4	115.7	26.3	2.8	38	2.9	37	255.9	41.3	6.6	71	7.9	76	5	0.0	70.0	0.7	10	1.8	25	0.0	124.8	2.0	30	2.6	29	6	8758.8	62.2	5.3	72	4.2	62	21763.9	578.0	5.7	69	5.1	61	7	0.0	42.1	1.2	26	1.3	25	4618.1	176.9	18.5	147	13.1	109	8	0.0	112.2	3.1	48	3.5	50	0.0	94.1	4.5	67	6.6	96	9	13179.4	438.9	1.2	24	1.4	32	863.1	107.2	4.1	62	4.2	61	10	0.0	54.6	0.7	10	1.3	16	13.0	60.0	4.2	62	4.4	59	Avg.		110.6	2.7	41.8	3.0	45.2		192.2	7.5	78.5	7.4	77.7			438.9	5.3	88	6.0	86		600.7	18.5	147	13.1	116	Max.																									n=10, m=400												n=10, m=500												1	10688.6	63.7	10.0	73	9.8	61	0.0	395.0	9.6	58	15.1	87	2	374.6	55.0	12.7	99	10.6	74	1966.1	930.6	17.4	90	24.2	121	3	396.9	65.5	10.8	83	11.5	84	9289.5	2292.5	14.5	74	21.9	103	4	10033.1	85.7	10.7	82	10.0	70	0.0	92.1	10.4	66	11.9	68	5	20531.7	1382.6	7.9	58	9.8	72	5094.7	102.5	4.8	39	6.8	45	6	14744.4	970.5	13.8	74	15.7	83	7181.4	120.5	12.3	54	16.5	68	7	0.0	158.8	3.1	25	10.3	75	0.0	204.1	5.7	35	4.5	24	8	13783.7	75.1	4.1	31	5.0	34	9362.9	1197.0	15.6	71	20.5	88	9	7549.6	972.4	7.7	55	9.3	62	0.0	402.8	6.6	42	13.8	78	10	15144.2	289.1	6.1	62	6.6	64	2680.2	229.4	21.6	111	17.2	76	Avg.		411.8	8.7	64.2	9.9	67.9		596.7	11.8	64	15.2	75.8			1382.6	13.8	99	15.7	84		2292.5	21.6	111	24.2	121	Max.																									n=15, m=200												n=15, m=300												1	13335.4	25878.3	530.6	435	96.0	401	863.5	7025.8	28.8	82	31.9	87	2	7509.0	7200.8	41.3	121	39.6	156	7991.5	28235.2	147.7	231	107.0	231	3	4833.0	8965.0	66.9	175	71.3	218	18405.0	53327.2	514.2	329	229.2	368	4	9274.4	489.0	51.2	138	34.9	136	0.0	4262.8	72.4	161	89.5	193	5	3608.8	14270.5	33.8	113	36.0	151	1582.7	1218.5	28.5	79	43.6	121	6	904.0	4637.8	88.6	241	88.5	237	20642.3	26878.8	52.8	107	89.1	225	7	3215.5	609.7	31.0	120	38.7	168	13364.7	36511.5	476.6	314	202.0	315	8	6263.6	27162.2	444.5	431	212.1	457	7406.7	1863.2	53.7	126	39.8	106	9	16059.5	1727.6	44.9	112	32.0	102	19254.6	48713.7	105.0	166	73.1	185	10	0.0	1220.4	20.9	80	20.2	82	9712.3	36164.8	107.3	238	58.7	153	Avg.		9216.1	135.4	196.6	67.0	210.8		24420.1	158.7	183.3	96.4	198.4			27162.2	530.6	435	212.1	457		53327.2	514.2	329	229.2	368	Max.																									n=15, m=400												n=15, m=500												1	7520.3	*	159.4	185	200.3	266	20806.6	*	300.3	248	231.1	290	2	17916.3	*	81.6	118	76.8	124	9711.8	*	191.6	289	177.3	287	3	4162.9	*	247.0	248	183.1	258	12126.9	*	181.1	192	216.1	239	4	12103.4	*	174.2	163	193.1	214	4972.4	*	58.8	95	103.7	147	5	18194.5	*	86.4	125	87.9	148	17206.1	*	65.7	92	89.9	139	6	27138.1	*	207.0	242	170.4	276	9248.3	*	370.0	275	296.1	250	7	617.0	*	59.2	127	72.6	148	732.0	*	85.5	114	147.5	176	8	12120.2	*	43.9	89	49.8	97	4748.5	*	82.3	107	87.3	105	9	11109.7	*	275.2	190	230.1	270	8087.1	*	131.2	132	178.4	172	10	15144.2	*	71.2	123	64.1	133	22524.7	*	2132.3	843	880.0	896	Avg.			140.5	161	132.8	193.4			359.9	238.7	240.8	270.1				275.2	248	230.1	276		2132.3	843	880.0	896	Max.																								
Avg.		110.6	2.7	41.8	3.0	45.2		192.2	7.5	78.5	7.4	77.7			438.9	5.3	88	6.0	86		600.7	18.5	147	13.1	116																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
Max.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
n=10, m=400												n=10, m=500																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
1	10688.6	63.7	10.0	73	9.8	61	0.0	395.0	9.6	58	15.1	87	2	374.6	55.0	12.7	99	10.6	74	1966.1	930.6	17.4	90	24.2	121	3	396.9	65.5	10.8	83	11.5	84	9289.5	2292.5	14.5	74	21.9	103	4	10033.1	85.7	10.7	82	10.0	70	0.0	92.1	10.4	66	11.9	68	5	20531.7	1382.6	7.9	58	9.8	72	5094.7	102.5	4.8	39	6.8	45	6	14744.4	970.5	13.8	74	15.7	83	7181.4	120.5	12.3	54	16.5	68	7	0.0	158.8	3.1	25	10.3	75	0.0	204.1	5.7	35	4.5	24	8	13783.7	75.1	4.1	31	5.0	34	9362.9	1197.0	15.6	71	20.5	88	9	7549.6	972.4	7.7	55	9.3	62	0.0	402.8	6.6	42	13.8	78	10	15144.2	289.1	6.1	62	6.6	64	2680.2	229.4	21.6	111	17.2	76	Avg.		411.8	8.7	64.2	9.9	67.9		596.7	11.8	64	15.2	75.8			1382.6	13.8	99	15.7	84		2292.5	21.6	111	24.2	121	Max.																									n=15, m=200												n=15, m=300												1	13335.4	25878.3	530.6	435	96.0	401	863.5	7025.8	28.8	82	31.9	87	2	7509.0	7200.8	41.3	121	39.6	156	7991.5	28235.2	147.7	231	107.0	231	3	4833.0	8965.0	66.9	175	71.3	218	18405.0	53327.2	514.2	329	229.2	368	4	9274.4	489.0	51.2	138	34.9	136	0.0	4262.8	72.4	161	89.5	193	5	3608.8	14270.5	33.8	113	36.0	151	1582.7	1218.5	28.5	79	43.6	121	6	904.0	4637.8	88.6	241	88.5	237	20642.3	26878.8	52.8	107	89.1	225	7	3215.5	609.7	31.0	120	38.7	168	13364.7	36511.5	476.6	314	202.0	315	8	6263.6	27162.2	444.5	431	212.1	457	7406.7	1863.2	53.7	126	39.8	106	9	16059.5	1727.6	44.9	112	32.0	102	19254.6	48713.7	105.0	166	73.1	185	10	0.0	1220.4	20.9	80	20.2	82	9712.3	36164.8	107.3	238	58.7	153	Avg.		9216.1	135.4	196.6	67.0	210.8		24420.1	158.7	183.3	96.4	198.4			27162.2	530.6	435	212.1	457		53327.2	514.2	329	229.2	368	Max.																									n=15, m=400												n=15, m=500												1	7520.3	*	159.4	185	200.3	266	20806.6	*	300.3	248	231.1	290	2	17916.3	*	81.6	118	76.8	124	9711.8	*	191.6	289	177.3	287	3	4162.9	*	247.0	248	183.1	258	12126.9	*	181.1	192	216.1	239	4	12103.4	*	174.2	163	193.1	214	4972.4	*	58.8	95	103.7	147	5	18194.5	*	86.4	125	87.9	148	17206.1	*	65.7	92	89.9	139	6	27138.1	*	207.0	242	170.4	276	9248.3	*	370.0	275	296.1	250	7	617.0	*	59.2	127	72.6	148	732.0	*	85.5	114	147.5	176	8	12120.2	*	43.9	89	49.8	97	4748.5	*	82.3	107	87.3	105	9	11109.7	*	275.2	190	230.1	270	8087.1	*	131.2	132	178.4	172	10	15144.2	*	71.2	123	64.1	133	22524.7	*	2132.3	843	880.0	896	Avg.			140.5	161	132.8	193.4			359.9	238.7	240.8	270.1				275.2	248	230.1	276		2132.3	843	880.0	896	Max.																																																																																																																																																																																																																																					
Avg.		411.8	8.7	64.2	9.9	67.9		596.7	11.8	64	15.2	75.8			1382.6	13.8	99	15.7	84		2292.5	21.6	111	24.2	121																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
Max.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
n=15, m=200												n=15, m=300																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
1	13335.4	25878.3	530.6	435	96.0	401	863.5	7025.8	28.8	82	31.9	87	2	7509.0	7200.8	41.3	121	39.6	156	7991.5	28235.2	147.7	231	107.0	231	3	4833.0	8965.0	66.9	175	71.3	218	18405.0	53327.2	514.2	329	229.2	368	4	9274.4	489.0	51.2	138	34.9	136	0.0	4262.8	72.4	161	89.5	193	5	3608.8	14270.5	33.8	113	36.0	151	1582.7	1218.5	28.5	79	43.6	121	6	904.0	4637.8	88.6	241	88.5	237	20642.3	26878.8	52.8	107	89.1	225	7	3215.5	609.7	31.0	120	38.7	168	13364.7	36511.5	476.6	314	202.0	315	8	6263.6	27162.2	444.5	431	212.1	457	7406.7	1863.2	53.7	126	39.8	106	9	16059.5	1727.6	44.9	112	32.0	102	19254.6	48713.7	105.0	166	73.1	185	10	0.0	1220.4	20.9	80	20.2	82	9712.3	36164.8	107.3	238	58.7	153	Avg.		9216.1	135.4	196.6	67.0	210.8		24420.1	158.7	183.3	96.4	198.4			27162.2	530.6	435	212.1	457		53327.2	514.2	329	229.2	368	Max.																									n=15, m=400												n=15, m=500												1	7520.3	*	159.4	185	200.3	266	20806.6	*	300.3	248	231.1	290	2	17916.3	*	81.6	118	76.8	124	9711.8	*	191.6	289	177.3	287	3	4162.9	*	247.0	248	183.1	258	12126.9	*	181.1	192	216.1	239	4	12103.4	*	174.2	163	193.1	214	4972.4	*	58.8	95	103.7	147	5	18194.5	*	86.4	125	87.9	148	17206.1	*	65.7	92	89.9	139	6	27138.1	*	207.0	242	170.4	276	9248.3	*	370.0	275	296.1	250	7	617.0	*	59.2	127	72.6	148	732.0	*	85.5	114	147.5	176	8	12120.2	*	43.9	89	49.8	97	4748.5	*	82.3	107	87.3	105	9	11109.7	*	275.2	190	230.1	270	8087.1	*	131.2	132	178.4	172	10	15144.2	*	71.2	123	64.1	133	22524.7	*	2132.3	843	880.0	896	Avg.			140.5	161	132.8	193.4			359.9	238.7	240.8	270.1				275.2	248	230.1	276		2132.3	843	880.0	896	Max.																																																																																																																																																																																																																																																																																																																																																																																																																																																		
Avg.		9216.1	135.4	196.6	67.0	210.8		24420.1	158.7	183.3	96.4	198.4			27162.2	530.6	435	212.1	457		53327.2	514.2	329	229.2	368																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
Max.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
n=15, m=400												n=15, m=500																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
1	7520.3	*	159.4	185	200.3	266	20806.6	*	300.3	248	231.1	290	2	17916.3	*	81.6	118	76.8	124	9711.8	*	191.6	289	177.3	287	3	4162.9	*	247.0	248	183.1	258	12126.9	*	181.1	192	216.1	239	4	12103.4	*	174.2	163	193.1	214	4972.4	*	58.8	95	103.7	147	5	18194.5	*	86.4	125	87.9	148	17206.1	*	65.7	92	89.9	139	6	27138.1	*	207.0	242	170.4	276	9248.3	*	370.0	275	296.1	250	7	617.0	*	59.2	127	72.6	148	732.0	*	85.5	114	147.5	176	8	12120.2	*	43.9	89	49.8	97	4748.5	*	82.3	107	87.3	105	9	11109.7	*	275.2	190	230.1	270	8087.1	*	131.2	132	178.4	172	10	15144.2	*	71.2	123	64.1	133	22524.7	*	2132.3	843	880.0	896	Avg.			140.5	161	132.8	193.4			359.9	238.7	240.8	270.1				275.2	248	230.1	276		2132.3	843	880.0	896	Max.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
Avg.			140.5	161	132.8	193.4			359.9	238.7	240.8	270.1				275.2	248	230.1	276		2132.3	843	880.0	896																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
Max.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										

* Could not be solved in 20 hours

Table 4 (continued)

Ins.	Obj	n=20, m=200			n=20, m=300			Obj	n=20, m=500				
		CPLEX CPU(s)	BD-Classic CPU(s)	Cuts	BD-Callback CPU(s)	Cuts	CPLEX CPU(s)		BD-Classic CPU(s)	Cuts	BD-Callback CPU(s)	Cuts	
1	3492.3	*	*	*	5821.9	3396	5378.1	*	4727.3	679	956.9	582	
2	3222.5	*	2167.5	444	648.6	493	7633.0	*	26362.8	983	3381.9	1479	
3	360.0	*	448.8	379	500.9	392	3723.2	*	*	*	12338.3	3044	
4	541.2	*	482.7	404	316.9	268	10221.8	*	4918.1	703	1674.3	1022	
5	1806.3	*	809.0	328	389.1	366	4659.3	*	6153.2	500	1159.4	645	
6	808.7	*	1165.4	541	696.3	569	0.0	*	582.0	315	528.5	359	
7	2464.9	*	450.6	313	360.9	369	9978.9	*	*	*	4232.2	1143	
8	561.2	*	63022.0	2095	14399.7	2404	3906.0	*	8166.7	1260	1935.1	1067	
9	5813.0	*	6108.6	748	1109.9	700	6518.0	*	3655.2	806	1577.1	856	
10	420.7	*	1337.0	788	812.6	635	8671.4	*	34265.6	2063	2956.1	1424	
Avg.					2505.7	959.2					3074.0	1162.1	
Max.					14399.7	3396					12338.3	3044	
			n=20, m=400			n=20, m=500							
1	2257.3	*	11643.8	946	2481.8	1049	16066.7	*	*	*	38432.0	6642	
2	8364.5	*	27470.4	990	4381.5	1273	18915.9	*	*	*	10891.1	2447	
3	5297.3	*	9396.0	1416	4399.3	1147	10163.3	*	*	*	4040.3	1105	
4	8180.6	*	7367.5	724	2815.3	927	5262.4	*	*	*	1812.1	637	
5	8351.3	*	2443.0	556	1247.0	617	6761.3	*	*	*	1217.9	465	
6	5257.1	*	4070.3	616	1469.9	572	11044.2	*	*	*	4803.8	1556	
7	13696.3	*	5057.6	889	4559.9	1467	5918.8	*	*	*	1419.6	433	
8	13.0	*	561.0	250	431.1	200	10376.5	*	*	*	2756.5	943	
9	5021.5	*	*	*	9420.4	3097	9723.9	*	*	*	5072.3	1528	
10	13158.8	*	8537.6	1037	3196.9	1140	4167.9	*	*	*	5968.6	1829	
Avg.					3440.3	1148.9					7641.4	1758.5	
Max.					9420.4	3097					38432.0	6642	

* Could not be solved in 20 hours

Table 5: Computation results with MMCLPSU-P

Ins.	Obj	CPLEX CPU(s)	BD-Callback CPU(s)	Cuts	Obj	CPLEX CPU(s)	BD-Callback CPU(s)	Cuts	Obj	CPLEX CPU(s)	BD-Callback CPU(s)	Cuts
n=10, m=200				n=10, m=300				n=10, m=400				
1	11272.2	3463.9	6.1	64	13040.9	18044.7	8.4	43	13199.7	*	22.4	60
2	2227.8	5060.3	4.1	34	11574.0	37982.8	9.8	48	13922.7	*	17.1	56
3	11591.5	6569.4	10.2	75	17891.7	*	15.7	79	23551.0	*	17.9	66
4	540.0	1822.0	4.0	39	16340.6	*	9.2	56	10634.6	*	9.9	47
5	823.3	2146.4	3.3	28	0.0	*	2.0	14	9475.6	*	11.6	42
6	6862.4	7209.0	8.6	79	11633.1	*	6.9	50	0.0	*	6.2	24
7	3079.5	854.7	2.4	31	10260.9	*	19.7	94	15026.5	*	25.2	90
8	2901.2	1388.9	5.6	43	12196.8	44738.32	7.9	62	30696.0	*	14.7	51
9	4972.4	931.2	2.3	22	10965.5	*	4.6	39	12520.3	*	17.2	65
10	2832.5	957.8	4.3	43	44.9	34574.86	7.6	45	20226.0	*	10.8	53
Avg.		3040.4	5.1	45.8			9.2	53			15.3	55.4
Max.		7209.0	10.2	79			19.7	94			25.2	90
n=10, m=500				n=15, m=200				n=15, m=300				
1	55221.4	*	27.5	74	21085.2	*	55.8	142	16563.4	*	109.7	154
2	21287.3	*	22.4	82	23183.0	*	58.5	135	21128.9	*	205.0	235
3	20978.7	*	28.7	77	4635.7	*	68.3	108	13450.2	*	153.4	159
4	0.0	*	12.7	44	6605.7	*	33.9	73	19648.8	*	163.8	166
5	2168.2	*	8.0	31	7287.6	*	25.4	56	2890.1	*	41.3	72
6	5692.6	*	18.5	47	6434.4	*	78.9	137	13262.0	*	78.9	112
7	18005.9	*	7.9	27	11732.4	*	44.4	110	13293.4	*	186.8	162
8	10452.8	*	20.3	71	8372.1	*	122.3	145	15356.1	*	69.4	77
9	0.0	*	14.4	47	7480.7	*	32.5	78	10250.7	*	50.6	82
10	0.0	*	10.5	31	2832.5	*	56.2	137	18249.3	*	131.3	188
Avg.			17.1	53.1			57.6	112.1			119.0	140.7
Max.			28.7	82			122.3	145			205.0	235
n=15, m=400				n=15, m=500				n=20, m=200				
1	13706.7	*	315.9	222	53670.4	*	149.3	125	16507.5	*	2341.0	1011
2	38421.3	*	204.8	153	9142.0	*	169.3	171	8715.6	*	533.3	285
3	18023.2	*	227.7	181	0.0	*	94.8	66	579.1	*	730.0	348
4	22114.1	*	295.9	176	13426.1	*	125.0	109	9570.6	*	2400.2	927
5	20806.4	*	100.6	96	21214.9	*	158.2	123	12815.5	*	957.8	413
6	12505.6	*	168.8	170	9824.0	*	244.5	127	5520.7	*	790.4	425
7	19116.4	*	113.4	101	33889.3	*	155.8	117	5227.8	*	509.9	310
8	37372.0	*	55.2	51	16802.1	*	152.5	116	5798.4	*	2131.7	623
9	14657.5	*	121.8	88	27899.4	*	261.2	135	10044.3	*	821.8	499
10	20226.0	*	78.0	78	19117.5	*	247.9	194	5548.5	*	596.4	311
Avg.			168.2	131.6			175.8	128.3			1181.3	515.2
Max.			315.9	222			261.2	194			2400.2	1011
n=20, m=300				n=20, m=400				n=20, m=500				
1	8443.8	*	799.0	294	12058.1	*	4543.4	1085	18216.0	*	6104.7	1159
2	13895.6	*	2619.7	783	23681.4	*	5706.7	1075	13043.3	*	5708.7	885
3	11130.8	*	4752.6	1061	16695.2	*	5127.7	1246	33116.3	*	1590.3	338
4	4132.6	*	1505.7	442	13883.3	*	3815.9	682	38415.5	*	2788.4	640
5	7005.1	*	807.6	237	11886.5	*	1202.7	369	18873.8	*	990.8	250
6	18516.8	*	1141.4	412	16383.1	*	1650.5	412	29209.2	*	5050.1	891
7	9416.2	*	4697.5	1147	14953.3	*	2368.0	528	4355.3	*	1396.5	247
8	7788.2	*	1535.1	459	5772.3	*	526.8	156	10134.0	*	2923.1	514
9	13878.0	*	1290.1	497	17246.0	*	5265.5	1120	29415.5	*	3622.2	571
10	6352.6	*	2231.4	679	9806.0	*	1378.2	339	23821.3	*	7873.3	1446
Avg.			2138.0	601.1			3158.5	701.2			3804.8	694.1
Max.			4752.6	1147			5706.7	1246			7873.3	1446

* Could not be solved in 20 hours

5 Conclusion

In this paper, we provided a new formulation of Multi-period maximal coverage (both complete and partial) location problem with server uncertainty, motivated by its relevance with respect to primary health centers. We mathematically proved that our formulation is better than the only other formulation available in the literature. Using computational experiments, we show that for large problem instances, our formulation is more than 10 times faster compared to the earlier formulation in the literature. Still, CPLEX MIP solver was unable to solve practical size problems. Consequently, we provided Benders' decomposition based methods, which were able to solve much larger problem instances within reasonable time. We further provided refinements to the Benders' method, like heuristics for the sub-problems and cut strengthening methods, which drastically reduced the computational time needed to solve problem instances of the size up to 20 facilities, 500 demand nodes and 5 periods. Further, for the instances that CPLEX MIP solver could solve within a time limit of 20 hours, our proposed solution method turned out to be of the order of 150 – 250 times faster for the problems with complete coverage, and around 1000 times faster for gradual coverage.

Future research may use other regret measures like maximization of expected coverage or minimization of expected regret when the probabilities of various server availability scenarios can be estimated. Extension of this paper with capacity restrictions at candidate facilities is another interesting avenue for further research.

References

References

- Albareda-Sambola, M., Fernández, E., & Saldanha-da Gama, F. (2011). The facility location problem with bernoulli demands. *Omega*, 39(3), 335–345.
- Antunes, A., & Peeters, D. (2000). A dynamic optimization model for school network planning. *Socio-Economic Planning Sciences*, 34(2), 101–120.
- Antunes, A., & Peeters, D. (2001). On solving complex multi-period location models using simulated annealing. *European Journal of Operational Research*, 130(1), 190–201.
- Averbakh, I., & Berman, O. (1997). Minimax regret p -center location on a network with demand uncertainty. *Location Science*, 5(4), 247–254.
- Averbakh, I., & Berman, O. (2000). Minmax regret median location on a network under uncertainty. *INFORMS Journal on Computing*, 12(2), 104–110.
- Bai, L., & Rubin, P. A. (2009). Combinatorial benders cuts for the minimum tollbooth problem. *Operations research*, 57(6), 1510–1522.
- Ballou, R. H. (1968). Dynamic warehouse location analysis. *Journal of Marketing Research*, 5(3).
- Baray, J., & Cliquet, G. (2013). Optimizing locations through a maximum covering/ p -median hierarchical model: Maternity hospitals in france. *Journal of Business Research*, 66(1), 127–132.
- Benders, J. F. (1962). Partitioning procedures for solving mixed-variables programming problems. *Numerische mathematik*, 4(1), 238–252.
- Berman, O., Drezner, Z., & Krass, D. (2010). Generalized coverage: New developments in covering location models. *Computers & Operations Research*, 37(10), 1675–1687.

- Berman, O., Krass, D., & Drezner, Z. (2003). The gradual covering decay location problem on a network. *European Journal of Operational Research*, 151(3), 474–480.
- Berman, O., & Wang, J. (2011). The minmax regret gradual covering location problem on a network with incomplete information of demand weights. *European Journal of Operational Research*, 208(3), 233–238.
- Boloori Arabani, A., & Farahani, R. Z. (2012). Facility location dynamics: An overview of classifications and applications. *Computers & Industrial Engineering*, 62(1), 408–420.
- Botton, Q., Fortz, B., Gouveia, L., & Poss, M. (2013). Benders decomposition for the hop-constrained survivable network design problem. *INFORMS journal on computing*, 25(1), 13–26.
- Burkard, R. E., & Dollani, H. (2002). A note on the robust 1-center problem on trees. *Annals of Operations Research*, 110(1-4), 69–82.
- Canel, C., Khumawala, B., Law, J., & Loh, A. (2001). An algorithm for the capacitated, multi-commodity multi-period facility location problem. *Computers & Operations Research*, 28(5), 411–427.
- Chen, B., & Lin, C.-S. (1998). Minmax-regret robust 1-median location on a tree. *Networks*, 31(2), 93–103.
- Church, R., & Roberts, K. L. (1983). Generalized coverage models and public facility location. In *Papers of the regional science association* (Vol. 53, pp. 117–135).
- Contreras, I., Cordeau, J.-F., & Laporte, G. (2011). Benders decomposition for large-scale uncapacitated hub location. *Operations research*, 59(6), 1477–1490.
- Costa, A. M. (2005). A survey on benders decomposition applied to fixed-charge network design problems. *Computers & Operations Research*, 32(6), 1429–1450.
- Current, J., Ratick, S., & ReVelle, C. (1998). Dynamic facility location when the total number of facilities is uncertain: A decision analysis approach. *European Journal of Operational Research*, 110(3), 597–609.
- de Camargo, R. S., de Miranda Jr, G., & Luna, H. P. L. (2009). Benders decomposition for hub location problems with economies of scale. *Transportation Science*, 43(1), 86–97.
- de Camargo, R. S., et al. (2011). A hybrid outer-approximation/benders decomposition algorithm for the single allocation hub location problem under congestion. *Operations Research Letters*, 39(5), 329–337.
- Dias, J., Captivo, M., & Clímaco, J. (2008). A memetic algorithm for multi-objective dynamic location problems. *Journal of Global Optimization*, 42(2), 221–253.
- Dias, J., Captivo, M. E., & Clímaco, J. (2006). Capacitated dynamic location problems with opening, closure and reopening of facilities. *IMA Journal of Management Mathematics*, 17(4), 317–348.
- Dias, J., Eugénia Captivo, M., & Clímaco, J. (2007). Efficient primal-dual heuristic for a dynamic location problem. *Computers & Operations Research*, 34(6), 1800–1823.
- Erlenkotter, D. (1981). A comparative study of approaches to dynamic location problems. *European Journal of Operational Research*, 6(2), 133–143.
- Fortz, B., & Poss, M. (2009). An improved benders decomposition applied to a multi-layer network design problem. *Operations research letters*, 37(5), 359–364.
- Geoffrion, A. M., & Graves, G. W. (1974). Multicommodity distribution system design by benders decomposition. *Management science*, 20(5), 822–844.
- Ghaderi, A., & Jabalameli, M. S. (2013). Modeling the budget-constrained dynamic uncapacitated facility location–network design problem and solving it via two efficient heuristics: A case study of health care. *Mathematical and Computer Modelling*, 57(3), 382–400.
- Gunawardane, G. (1982). Dynamic versions of set covering type public facility location problems. *European Journal of Operational Research*, 10(2), 190–195.

- Karasakal, O., & Karasakal, E. K. (2004). A maximal covering location model in the presence of partial coverage. *Computers & Operations Research*, 31(9), 1515–1526.
- Killmer, K. A., Anandalingam, G., & Malcolm, S. A. (2001). Siting noxious facilities under uncertainty. *European Journal of Operational Research*, 133(3), 596–607.
- Klose, A., & Drexel, A. (2005). Facility location models for distribution system design. *European Journal of Operational Research*, 162(1), 4–29.
- Magnanti, T. L., & Wong, R. T. (1981). Accelerating benders decomposition: Algorithmic enhancement and model selection criteria. *Operations research*, 29(3), 464–484.
- Melo, M. T., Nickel, S., & Saldanha da Gama, F. (2006). Dynamic multi-commodity capacitated facility location: a mathematical modeling framework for strategic supply chain planning. *Computers & Operations Research*, 33(1), 181–208.
- Rohde, J., Cousens, S., Chopra, M., Tangcharoensathien, V., Black, R., Bhutta, Z. A., & Lawn, J. E. (2008). 30 years after alma-ata: Has primary health care worked in countries? *The Lancet*, 372(9642), 950–961.
- Saldanha da Gama, F., & Captivo, M. (1998). A heuristic approach for the discrete dynamic location problem. *Location Science*, 6(1), 211–223.
- Schilling, D. A., Reville, C., Cohon, J., & Elzinga, D. J. (1980). Some models for fire protection locational decisions. *European Journal of Operational Research*, 5(1), 1–7.
- Shulman, A. (1991). An algorithm for solving dynamic capacitated plant location problems with discrete expansion sizes. *Operations Research*, 39(3), 423–436.
- Thanh, P., Bostel, N., & Péton, O. (2008). A dynamic model for facility location in the design of complex supply chains. *International Journal of Production Economics*, 113(2), 678–693.
- Vairaktarakis, G. L., & Kouvelis, P. (1999). Incorporation dynamic aspects and uncertainty in 1-median location problems. *Naval Research Logistics*, 46(2), 147–168.
- Vatsa, A. K., & Ghosh, D. (2014). *Tabu search for multi-period facility location: Uncapacitated problem with an uncertain number of servers* (Working Paper No. WP2014-11-03). Indian Institute of Management Ahmedabad, Research and Publication Department.
- Walley, J., Lawn, J. E., Tinker, A., De Francisco, A., Chopra, M., Rudan, I., ... Black, R. E. (2008). Primary health care: Making alma-ata a reality. *The Lancet*, 372(9642), 1001–1007.
- Wang, Q., Batta, R., Bhadury, J., & M Rump, C. (2003). Budget constrained location problem with opening and closing of facilities. *Computers & Operations Research*, 30(13), 2047–2069.
- Wang, Q., Batta, R., & Rump, C. M. (2002). Algorithms for a facility location problem with stochastic customer demand and immobile servers. *Annals of Operations Research*, 111(1-4), 17–34.
- Wentges, P. (1996). Accelerating benders' decomposition for the capacitated facility location problem. *Mathematical Methods of Operations Research*, 44(2), 267–290.
- Wesolowsky, G., & Truscott, W. (1975). The multiperiod location-allocation problem with relocation of facilities. *Management Science*, 22(1), 57–65.